

Table of Contents

iii	Australian Centre for Geomechanics
v	Committees
vii	Technical Reviewers
ix	Preface
xi	Sponsors

Keynote addresses

3	Pit slopes in weathered and weak rocks <i>C.D. Martin, University of Alberta, Canada; P.F. Stacey, Stacey Mining Geotechnical Ltd., Canada</i>
29	Numerical analysis, slope design and in situ stress <i>J. Sjöberg, Itasca Consultants AB, Sweden</i>
43	Water and slope stability – the application of a new science <i>G. Beale, Schlumberger Water Services, UK</i>
55	Global slope performance index <i>T.D. Sullivan, Pells Sullivan Meynink; and The University of New South Wales, Australia</i>
81	Data gathering, interpretation, reliability and geotechnical models <i>J.R.L. Read, CSIRO Earth Science and Resource Engineering, Australia</i>
91	Excavation control, management of blast damage, and quality control <i>J.V. Simmons, Sherwood Geotechnical and Research Services, Australia</i>

Geotechnical models

115	Pit slope design in phyllites for the Simandou large open pit project <i>C. Fietze, Golder Associates Africa (Pty) Ltd, South Africa; A. Creighton, Rio Tinto, Australia; L.M. Castro, Golder Associates Ltd., Canada; R. Hammah, Golder Associates, Ghana</i>
127	Rock mass and structural modelling for the large open pit gold mining project in the Northern Andes: The La Colosa project, Colombia <i>J. Horner, J. Weil, iC consulenten, Austria; J. Betancourt, A. Naranjo, P. Montoya, J. Sánchez, AngloGold Ashanti Colombia, Colombia</i>
137	An extensional mechanism of instability and failure in the walls of open pit mines <i>M.C. Bridges, AMC Consultants Pty Ltd, Australia</i>
151	Rapid characterisation of potentially hazardous blocks in open pit mining <i>M.K. Elmoutie, G.V. Poropat, G. Krähenbühl, P. Dean, CSIRO Earth Science and Resource Engineering, Australia</i>
163	Reliability of strength estimates based on limited laboratory data <i>M-H. Fillion, J. Hadjigeorgiou, Lassonde Institute of Mining, University of Toronto, Canada</i>
177	Interpreting local critical orientations of structural weakness in relation to stress and dilatancy in rock slopes <i>J.V. Smith, School of Civil, Environmental and Chemical Engineering, RMIT University, Australia</i>
189	Combining field methods and numerical modelling to address challenges in characterising discontinuity persistence and intact rock bridges in large open pit slopes <i>Z. Tuckey, Coffey Mining Pty Ltd, Australia; D. Stead, Department of Earth Sciences, Simon Fraser University, Canada; E. Eberhardt, Department of Earth and Ocean Sciences, University of British Columbia, Canada</i>
205	Discussion on how to classify and estimate strength of weak rock masses <i>L.M. Castro, J. Carvalho, Golder Associates Ltd., Canada; G. Sá, Vale, Brazil</i>
219	Structural data bias in the digital age <i>M.J. Fowler, Pells Sullivan Meynink, Australia</i>

- 227 Bench berm design using probabilistic key block analysis
E. Hormazabal, SRK Consulting (Chile) S.A., Chile
- 237 Ongoing research into anisotropic rock masses using numerical modelling
K.G. Mercer, Australian Centre for Geomechanics, The University of Western Australia, Australia
- 249 Geochemistry and geotechnical models – a case study from the proposed Kempfield Silver Project, Bathurst, New South Wales
H. Baxter, T. Rutherford, R. Bertuzzi, Pells Sullivan Meynink, Australia
- 261 Combined use of traditional core logging and televiewer imaging for practical geotechnical data collection
X.P. Gwynn, M.C. Brown, P.J. Mohr, SRK Consulting (UK) Ltd, UK
- 273 Experimental and numerical assessment of shear surface damage using 3D point clouds
S. Karekal, G.V. Poropat, H. Guo, CSIRO Earth Science and Resource Engineering, Australia
- 281 The determination of joint roughness coefficient using three-dimensional models for slope stability analysis
D.H. Kim, I. Gratchev, School of Engineering, Griffith University, Australia; G.V. Poropat, CSIRO Earth Science and Resource Engineering, Australia
- 291 Geotechnical and geological model applied to crushing processes in open pit mines
P. Peña, Ingeniería de Rocas Ltda., Chile; R. Fuenzalida, TECK Carmen de Andacollo, Chile; R. Villarroel, P. Merino, Ingeniería de Rocas Ltda., Chile; M. Tapia, TECK Carmen de Andacollo, Chile; P. Casanova, Geoatacama, Chile
- 303 Maximising geotechnical data and characterisation of critical units through targeted field work
A.J. Phillips, H.F. Wilson, Coffey Mining Pty Ltd, Australia
- 315 Structural geology modelling: a summary on data integrity and modelling methods
K.M. Rees, J. Graaf, Golder Associates Pty Ltd, Australia
- 325 A statistical approach to account for elevated levels of uncertainty during geotechnical design
R.D.H. Thomas, Coffey Mining Pty Ltd, Australia
- 337 Preliminary review of the geotechnical characteristics and shear strength estimates of small scale anisotropic waveform formations of the Pilbara, Western Australia
S. Tokimoto, School of Civil and Resource Engineering, The University of Western Australia; K.G. Mercer, Australian Centre for Geomechanics, The University of Western Australia, Australia
- 349 Dissection of a pit – case study
A.J. Troy, Terra Firma Australia Pty Ltd, Australia

Remediation

- 365 A strategic approach to the design and implementation of an effective mine dewatering system
M. Bester, E. Nel, G.M. McGavigan, Anglo American Kumba Iron Ore, South Africa
- 381 Water management for slope stabilisation – an example from Peru
C. Pérez, Schlumberger Water Services, Peru; V. Pérez, Minera Yanacocha S.R.L., Peru; G. Beale, Schlumberger Water Services, UK; D. Ríos, F. Soto, Minera Yanacocha S.R.L., Peru
- 393 Cockatoo Island stage 3: seawall failure and remediation
P.K. Wong, Coffey Geotechnics Pty Ltd, Australia; P. Petropoulos, Coffey Mining Pty Ltd, Australia
- 409 Case history: deep-seated slope failure in weak rocks, El Tapado pit north wall, Yanacocha operation
G.A. Becerra Abregu, E. Valencia Jeri, E. Garcia, Minera Yanacocha S.R.L., Peru; P. Yuan, Golder Associates Inc., USA; T. Byers, Newmont Mining Corporation, USA
- 425 Pit slope depressurisation investigation for an open cut iron ore mine in the Pilbara
A. Dodman, G. Beale, Schlumberger Water Services, UK; J. Rodriguez, Schlumberger Water Services, Australia; A. Cottrell, J. Youngs, BHP Billiton, Australia
- 433 Approach to groundwater and pore water pressure modelling for different geotechnical conditions in open pit slope stability analysis
H. El-Idrissy, SRK Consulting (UK) Ltd, UK
- 445 A case study on actual water pressure measurements at an open pit excavated in strong, tight rock and the implications for slope design
M. Rougier, L.M. Castro, Golder Associates Ltd., Canada; D. Birchall, Barrick Gold, Canada

Uncertainty in design

- 457 An application of a reliability based method to evaluate open pit slope stability
M. Valerio, C. Clayton, S. D'Ambra, C. Yan, Golder Associates Ltd., Canada
- 473 Risk evaluation of slope considering mechanical and hydraulic characteristics of unsaturated soils
Y-K. Song, J-R. Oh, M.S. Jung, Y.J. Son, National Disaster Management Institute, Korea
- 483 Analysis of failures in open pit mines and consideration of the uncertainty when predicting collapses
A.G. Cabrejo-Liévano, GroundProbe Pty Ltd, Australia
- 499 Managing slope performance in uncertain geological conditions at Meandu Mine, Queensland
J.V. Simmons, Sherwood Geotechnical and Research Services, Australia; D.C. Edwards, Downer EDI Mining Pty Ltd, Australia; N. Ferdinands, Stanwell Corporation Limited, Australia
- 513 Iterative geotechnical pit slope design in a structurally complex setting: a case study from Tom Price, Western Australia
D.S. Lucas, Mining One Consultants, Australia; P.J.H. de Graaf, Rio Tinto Iron Ore, Australia
- 527 Slope design at Cuajone Pit, Peru
E. Hormazabal, SRK Consulting (Chile) S.A., Chile; R. Veramendi, J. Barrios, Southern Peru Cooper Corporation, Peru; G. Zuñiga, F. Gonzalez, SRK Consulting (Chile) S.A., Chile
- 541 Three-dimensional limit equilibrium analysis of open pits
H.H. Lu, M.D. Fredlund, SoilVision Systems Ltd., Canada; D.G. Fredlund, Golder Associates Ltd., Canada
- 555 Integrated slope stability assessment in a complex geotechnical and hydrogeological setting
R. Campbell, SRK Consulting (UK) Ltd, UK; D. Mackie, SRK Consulting (Canada) Inc., Canada; W.S. Anderson, Teck Resources Ltd., Canada
- 569 Geotechnical reliability assessment of a large counterfort retaining wall
W. Deng, K. O'Neill, K. Luu, Aurecon Pty Ltd, Australia; K. Little, Boulderstone Construction, Australia
- 583 Towards developing a more rigorous technique for bench scale slope stability analysis in hard rock
R. Teet, A. Vakili, A. de Veth, AMC Consultants Pty Ltd, Australia

Numerical analysis

- 595 Characterisation and stability modelling in weak rock masses of the Robinson Mine
M. Fournier, R. Mercer, D. Yang, Knight Piésold Ltd., Canada; J. Miller, KGHM Inc., USA
- 611 The use of numerical modelling, slope monitoring and operational procedures to manage slope deformations at the Ranger 3 Pit
D.R. Wines, Itasca Australia Pty Ltd, Australia; I. Hulls, Mining One Consultants, Australia; E. Woods, Energy Resources of Australia Ltd, Australia; A. Creighton, Rio Tinto, Australia
- 625 Incorporating brittle fracture into three-dimensional modelling of rock slopes
M. Havaej, A. Wolter, Simon Fraser University, Canada; D. Stead, Department of Earth Sciences, Simon Fraser University, Canada; Z. Tuckey, Coffey Mining Pty Ltd, Australia; L. Lorig, Itasca Consulting Group Inc., USA; E. Eberhardt, Department of Earth and Ocean Sciences, University of British Columbia, Canada
- 639 Open pit numerical model calibration using a pseudo three-dimensional radar monitoring technique
J. Severin, SRK Consulting (Canada) Inc., Canada; E. Eberhardt, Department of Earth and Ocean Sciences, University of British Columbia, Canada; S. Fortin, Teck Resources Ltd., Canada
- 653 Two-dimensional and three-dimensional distinct element numerical stability analyses for assessment of the west wall cutback design at Ok Tedi Mine, Papua New Guinea
I.A. de Bruyn, SRK Consulting (Australasia) Pty Ltd, Australia; M.A. Coulthard, M.A. Coulthard and Associates Pty Ltd, Australia; N.R.P. Baczynski, Ok Tedi Mining Ltd, Papua New Guinea; J. Mylvaganam, SRK Consulting (Australasia) Pty Ltd, Australia
- 669 Three-dimensional numerical stability analysis of the Oyu Tolgoi open pit
M. Smithyman, H. Puebla, A. Chance, R. Beddoes, Golder Associates Ltd., Canada; A. Creighton, Rio Tinto, Australia

- 683 Three-dimensional analysis of pit slope stability in anisotropic rock masses
D.P. Sainsbury, Mining One Consultants, Australia; B. Sainsbury, Castlemaine Goldfields Ltd, Australia
- 697 UDEC and RFLPA^{2D} simulations on the influence of the geometry of partially-spanning joints on rock mechanical behaviour
P.L.P. Wasantha, P.G. Ranjith, Civil Engineering Department, Monash University, Australia; T. Xu, Northeastern University, China
- 707 Slope stability analysis at Siilinjärvi Mine
S. Mononen, Yara Suomi Oy, Finland; H. Kuula, M. Lamberg, Pöyry Finland Oy, Finland
- 719 The effect of slope curvature in rock mass shear strength derivations for stability modelling of foliated rock masses
S. Narendranathan, R.D.H. Thomas, J.M. Neilsen, Coffey Mining Pty Ltd, Australia
- 733 Stability analyses for a large landslide with complex geology and failure mechanism using numerical modelling
B. Wentzinger, D. Starr, S. Fidler, Golder Associates Pty Ltd, Australia; Q. Nguyen, ATC Williams Pty Ltd, Australia; S. Hencher, Steve Hencher Associates Ltd, UK

Slope performance

- 749 A web-based GIS decision support system for slope stability monitoring data interpretations and visualisation management
A.B. Firman, C.D. Wiratno, S. Bahri, H. Timbul, PT Adaro Indonesia, Indonesia
- 763 Can full waveform technology enhance the use of terrestrial laser scanning to monitor rock slope deformation?
J.G. Williams, N.J. Rosser, Department of Geography, Durham University, UK; A. Afana, Department of Geography, Durham University; and 3D Laser Mapping Ltd, UK; G. Hunter, 3D Laser Mapping Ltd, UK; R.J. Hardy, Department of Geography, Durham University, UK
- 775 Experience using terrestrial remote sensing techniques for rock slope performance assessment
M. Sturzenegger, D. Willms, Klohn Crippen Berger Ltd., Canada; K. Pate, Seattle City Light, USA; B. Johnston, Tetra Tech Inc., USA
- 783 Powerful rockfall incidents at Al-Hada descent and remedial measures
B.H. Sadagah, Faculty of Earth Sciences, King Abdulaziz University, Saudi Arabia; M.S. Aazam, A. Al-Amri, O. Al-Hoseiny, A. Al-Harbi, Ministry of Transportation, Saudi Arabia
- 793 Innovative use of slope monitoring radar as a support to geotechnical modelling of slopes in open pit mines
A.E.E. Escobar, Codelco El Teniente, Chile; P. Farina, L. Leoni, C. Iasio, N. Coli, IDS Ingegneria Dei Sistemi, Italy
- 803 Slope monitoring and data visualisation state-of-the-art – advancing to Rio Tinto Iron Ore’s Mine of the Future™
P.J.H. de Graaf, S.D.N. Wessels, Rio Tinto Iron Ore, Australia
- 815 Application of ground penetrating radar to identify the locations of sub-surface anomalies at Kansanshi Mine, Zambia
N.K. Smith, First Quantum Minerals Ltd, Zambia
- 829 Application of advanced InSAR techniques to detect vertical and horizontal displacements
J. Morgan, TRE Canada Inc., Canada; S. Raval, The University of New South Wales, Australia; B. Macdonald, G. Falorni, TRE Canada Inc., Canada; J. Iannaccone, University of Modena and Reggio Emilia, Italy
- 841 Geotechnical risk management at Teck Coal
A. Bidwell, A. Knight, Teck Coal Ltd., Canada; W.S. Anderson, Teck Resources Ltd., Canada
- 853 Undrained behaviour in spoil piles
A. Duran, Pells Sullivan Meynink, Australia
- 867 Shear strength parameters for assessing geotechnical slope stability of open pit coal mine spoil based on laboratory tests
A.K. Kho, D.J. Williams, N. Kaneko, N.J.W. Smith, School of Civil Engineering, The University of Queensland, Australia
- 881 Flow failure in coal stockpiles – how to reduce risk
P. Davies, S. Zargarbashi, L. McQueen, Golder Associates Pty Ltd, Australia
- 897 Integration of full waveform terrestrial laser scanners into a slope monitoring system
A. Afana, 3D Laser Mapping Ltd; and Durham University, UK; G. Hunter, J. Davis, 3D Laser Mapping Ltd, UK; N.J. Rosser, R.J. Hardy, J.G. Williams, Department of Geography, Durham University, UK

- 911 2011 Manawatu Gorge landslide-technical challenges faced during remediation
M.B. Avery, S. Bourke, Geovert Ltd, New Zealand
- 921 Mt Owen Mine barrier pillar
W.D. Bartlett, Thiess Pty Ltd, Australia; I.H. Clark, GEONET Consulting Group, Australia; D.E. McCormack, G.D. Johnson, A.N. Brown, Thiess Pty Ltd, Australia
- 935 Quarry wall stability and design optimisation using photogrammetric mapping and analysis techniques
P.W. Booth, G.E. Meyer, Golder Associates Pty Ltd, Australia
- 949 Early detection of impending slope failure in open pit mines using spatial and temporal analysis of real aperture radar measurements
G.J. Dick, E. Eberhardt, Department of Earth and Ocean Sciences, The University of British Columbia, Canada; D. Stead, Department of Earth Sciences, Simon Fraser University, Canada; N.D. Rose, Piteau Associates Engineering Ltd., Canada
- 963 Geohazard mitigation in remote and rugged terrain
U.K. Gunasekera, Rio Tinto Australia, Australia
- 981 Stabilisation of landslides using gravity fed siphon and electro-pneumatic pumped wells: two examples of slope stabilisation projects from the United Kingdom and Czech Republic
J.K. Holliday, Aurecon Australia Pty Ltd, Australia; A.R. Clark, Independent consultant, UK; D.S. Fort, Atkins, UK; A. Gillarduzzi, High Point Rendel, UK; S. Bomont, TPGeo, France
- 995 Risk management and remediation of the north wall slip, West Angelas Mine, Western Australia
G.G. Joass, R. Dixon, T. Sikma, S.D.N. Wessels, J. Lapwood, P.J.H. de Graaf, Rio Tinto Iron Ore, Australia
- 1011 Application of radar monitoring at Savage River Mine, Tasmania
G.K. Macqueen, E.I. Salas, B.J. Hutchison, Grange Resources (Tasmania) Pty Ltd, Australia
- 1021 Slope stability study in open pit and underground mines by means of forensic analysis and radar interferometry
O. Mora, Altamira Information, Spain; I. Álvarez, Universidad de Oviedo, Spain; E. Amor Herrera, Hullera Vasco-Leonesa, Spain
- 1033 Stability analysis and remedial design of two road cuttings in North Queensland based on remote geotechnical mapping using digital photogrammetry
I. Ortega, P.W. Booth, J. Darras, Golder Associates Pty Ltd, Australia
- 1045 Hangingwall and footwall slope stability issues in sublevel caving
B-M. Stöckel, K. Mäkitaavola, Luossavaara-Kiirunavaara AB, Sweden; J. Sjöberg, Itasca Consultants AB, Sweden
- 1061 An evaluation of the CUSUM and inverse velocity methods of failure prediction based on two open pit instabilities in the Pilbara
J. Venter, A. Kuzmanovic, S.D.N. Wessels, Rio Tinto Iron Ore, Australia
- 1077 Slope stabilisation program at West Gully, PT Freeport Indonesia
E. Widijanto, I. Setiawan, K. Afrizal, M. Stawski, P. Warren and B. Utama, PT Freeport Indonesia, Indonesia

Hydrogeology

- 1091 Integrating complex hydrogeological and geotechnical models – a discussion of methods and issues
G. Fagerlund, SRK Consulting (Canada) Inc., Canada; M. Royle, Schlumberger Ltd., Canada; J. Scibek, SRK Consulting (Canada) Inc., Canada
- 1103 Three-dimensional pore pressure prediction in dual phase conditions for slope stability assessment
E.R. De Sousa, M.J. Fowler, G.E. Swarbrick, Pells Sullivan Meynink, Australia
- 1111 Mine design for below water table clay detritals mining: Marandoo Mine, Western Australia
D. McInnes, C. Haberfield, Golder Associates Pty Ltd, Australia; P.J.H. de Graaf, Rio Tinto Iron Ore, Australia; C. Colley, Golder Associates Pty Ltd, Australia
- 1125 The hydro-geotechnical decision cycle – having mine design and planning decisions made by the right people
J.W. Hall, RPS Aquaterra, Australia
- 1131 The hydrogeology of a moving cut slope and real time modelling of groundwater movement
I. Gray, J. Wood, B. Neels, A. O'Brien, Sibra Pty Ltd, Australia

Rockfall

- 1149 An integrated approach for rockfall analysis with drapery systems
K. Thoeni, Centre for Geotechnical and Materials Modelling, The University of Newcastle, Australia; C. Lambert, Civil and Natural Resources Engineering, University of Canterbury, New Zealand; A. Giacomini, S.W. Sloan, J.P. Carter, Centre of Excellence for Geotechnical Science and Engineering; and Centre for Geotechnical and Materials Modelling, The University of Newcastle, Australia
- 1161 Coefficient of restitution for rigid body dynamics modelling from onsite experimental data
F.R.P. Basson, R. Humphreys, A. Temmu, Newmont Asia Pacific, Australia
- 1171 Spatial and temporal aspects of slope hazards along a railroad corridor in the Canadian Cordillera
R. Macciotta, D.M. Cruden, C.D. Martin, N.R. Morgenstern, M. Petrov, Department of Civil and Environmental Engineering, University of Alberta, Canada
- 1187 Earthquake stability assessment for open pit mine slopes
J.C.W. Toh, D.K.E. Green, G.E. Swarbrick, M.J. Fowler, B.E. Estrada, Pells Sullivan Meynink, Australia
- 1203 Seismic stability of large open pit slopes and pseudo-static analysis
B. Damjanac, Varun, L. Lorig, Itasca Consulting Group, Inc., USA
- 1217 Three-dimensional rockfall modelling and rockfall protection – Port Hills
M.B. Avery, Geovert Ltd, New Zealand; H. Salzmann, Freefall ZT GmbH, Austria; A. Teen, Geovert Global Pte Ltd, Singapore
- 1231 Verification of Trajec3D for use in rockfall analysis at Newmont Boddington Gold
C.C. Graf, T. Peryoga, G. McCartney, T. Rees, Newmont Boddington Gold, Australia

Wall control

- 1245 West Gully Upper – innovative rockfall and debris flow protection systems
H.P. Anderson, Geovert Pty Ltd, New Zealand; A. Teen, Geovert Global PTE, Singapore; H. Salzmann, Freefall Geotechnical Engineering ZTGmbH, Austria
- 1261 Rockfall stabilisation of a steep and high slope at West Angelas Mine using pre-tensioned anchored mesh
P.J.G. Lopes, T.T. Le, Geovert Pty Ltd, Australia
- 1273 Rock and soil slope protection using a high stiffness geocomposite mesh system
D. Cheer, Maccaferri S.p.a., Italy; G. Giacchetti, Alpigeo, Italy
- 1285 Landslide risk management in Australia 2013 – status of resources available to practitioners
A. Leventhal, GHD Geotechnics, Australia; A. Miner, AS Miner Geotechnical, Australia; B. Walker, JK Geotechnics, Australia
- 1301 Design and construction of an anchored soil nail wall close to movement sensitive structures
A.K. Kho, Cardno Pty Ltd, Australia; M. McAuley, GHD Pty Ltd, Australia

Excavation control

- 1315 Blast induced damage mechanism on final walls and the blasting methods to minimise damage
W.W. de Graaf, Mining Engineering Department, University of Pretoria, South Africa; S.J. EtcHELLS, AEL Mining Services, South Africa
- 1327 Measurements of dynamic surface strains induced by blasting near a highwall of a coal mine – a preliminary assessment
K.N. Henley, A.T. Spathis, Orica Australia Ltd, Australia
- 1335 Blasting vibration assessment of rock slopes and a case study
K.W.K. Kong, MWH Australia Pty Ltd, Australia
- 1345 Drape mesh protection at the Savage River Mine, Tasmania
B.J. Hutchison, G.K. Macqueen, S.L. Dolting, Grange Resources (Tasmania) Pty Ltd, Australia; A.T. Morrison, Geobrugg Australia Pty Ltd, Australia
- 1359 Understanding the blast damage mechanisms in slopes using observations and numerical modelling
S.J. EtcHELLS, AEL Mining Services, South Africa; E.J. Sellers, JK Tech Pty Ltd, Australia; J. Furtney, Itasca Consulting Group Inc., USA
- 1373 Author Index