

## TABLE OF CONTENTS

<b>1. INTRODUCTION</b>	<b>1.1</b>
1.1 BACKGROUND	1.1
1.2 SCOPE OF STUDY	1.2
1.3 SCOPE OF THE REPORT	1.5
<b>2. REVIEW OF RECENT PIT STABILITY EXPERIENCE IN WESTERN AUSTRALIAN OPEN PIT GOLD MINES</b>	<b>2.1</b>
2.1 BACKGROUND	2.1
2.2 OPEN PIT MINE DESIGN TRENDS	2.1
2.3 CONTROLS ON PIT WALL STABILITY	2.3
2.4 COLLECTION AND REVIEW OF FIELD DATA	2.3
2.4.1 Wall Heights	2.3
2.4.2 Failure Mechanisms	2.4
2.4.3 Use of Reinforcement	2.5
2.5 USE OF ROCK MASS CLASSIFICATION SYSTEMS	2.6
2.6 CONCLUSIONS	2.8
<b>3. PHYSICAL MODELLING TECHNIQUES</b>	<b>3.1</b>
3.1 INTRODUCTION	3.1
3.2 PREVIOUS WORK	3.1
3.2.1 Development of Artificial Rock Materials	3.1
3.2.2 Physical Model Testing	3.2
3.2.2.1 Single gravity tests	3.2
3.2.2.2 Centrifuge tests	3.3
3.3 ARTIFICIAL ROCK MIXTURES	3.4
3.3.1 Material Property Requirements	3.4
3.3.2 Composition of Mixtures	3.5
3.3.3 Preparation and Compaction Procedures	3.8
3.3.3.1 Mixing	3.8
3.3.3.2 Compaction	3.9
3.3.3.3 Curing	3.9
3.3.4 Typical Material Properties	3.9
3.4 MODELLING PRINCIPLES	3.9
3.5 EXPERIMENTAL APPARATUS	3.11
3.5.1 Geotechnical Centrifuge	3.11
3.5.2 Strongboxes and Sample Preparation Equipment	3.12
3.5.3 Displacement Transducers	3.12
3.5.4 Video Imaging System	3.13
3.6 MODEL PREPARATION AND ASSEMBLY	3.13

---

3.6.1 Homogeneous Samples	3.13
3.6.2 Samples with Uniformly Spaced Discontinuities	3.13
3.6.3 Quality Control Measures	3.14
3.7 TESTING PROCEDURE	3.14
3.8 POST-TEST INVESTIGATION	3.15
<b>4. NUMERICAL ANALYSIS TECHNIQUES</b>	<b>4.1</b>
<hr/>	
4.1 INTRODUCTION	4.1
4.2 PREVIOUS WORK	4.2
4.3 COMPUTER PROGRAMS	4.2
4.3.1 Program FLAC	4.3
4.3.2 Program UDEC	4.3
4.3.3 Program 3DEC	4.4
4.4 MODELLING PROCEDURE	4.4
4.5 STRUCTURE OF DATA FILE	4.7
<b>5. HOMOGENEOUS SLOPES</b>	<b>5.1</b>
<hr/>	
5.1 INTRODUCTION	5.1
5.2 GRAVITY RAMP PROCEDURE FOR CENTRIFUGE MODELS	5.1
5.2.1 Uniform Ramp	5.2
5.2.2 Ramp on Basis of Unbalanced Force	5.3
5.2.3 Ramp on Basis of Maximum Gridpoint Velocity	5.3
5.2.4 Comparison	5.4
5.3 GRID DENSITY	5.4
5.4 GRID ORIENTATION	5.6
5.5 MATERIAL PROPERTIES	5.6
5.5.1 Strength Variability	5.6
5.5.1.1 FLAC	5.7
5.5.1.2 UDEC	5.8
5.5.2 Dilation	5.9
5.5.3 Post-peak Softening	5.9
5.6 EFFECT OF CURVATURE IN PLAN VIEW	5.11
5.6.1 Numerical Analysis	5.12
5.6.2 Limit Equilibrium Analysis	5.13
5.6.3 Field Data	5.13
5.7 PRELIMINARY CENTRIFUGE MODEL	5.14
5.8 SUMMARY AND CONCLUSIONS	5.15
<b>6. INFLUENCE OF UNDERGROUND WORKINGS ON OPEN PIT SLOPES</b>	<b>6.1</b>
<hr/>	
6.1 INTRODUCTION	6.1
6.2 MODEL UNDER I	6.2
6.2.1 Physical Model	6.2

---

---

6.2.2 Numerical Modelling	6.3
6.2.2.1 Program FLAC	6.4
6.2.2.2 Program UDEC	6.6
6.3 MODEL UNDER2	6.8
6.3.1 Physical Model	6.8
6.3.2 Numerical Model	6.10
6.3.3 Limit Equilibrium Analysis	6.11
6.4 FIELD DATA	6.13
6.4.1 Case Study A	6.13
6.4.2 Case Study B	6.15
6.5 SUMMARY AND CONCLUSIONS	6.16
<b>7. FLEXURAL TOPPLING</b>	<b>7.1</b>
<hr/>	
7.1 INTRODUCTION	7.1
7.2 KINEMATIC TEST	7.2
7.3 PHYSICAL MODELLING	7.2
7.3.1 Previous Work	7.2
7.3.2 Centrifuge Testing	7.3
7.3.2.1 Model FLEX1	7.3
7.3.2.2 Model FLEX4	7.5
7.3.2.3 Model FLEX9	7.5
7.4 LIMIT EQUILIBRIUM ANALYSIS	7.7
7.5 NUMERICAL MODELLING	7.10
7.5.1 Continuum Analysis	7.10
7.5.1.1 Ubiquitous joints	7.10
7.5.1.2 Other approaches	7.12
7.5.2 Discontinuum Analysis	7.12
7.5.2.1 Model FLEX1	7.12
7.5.2.2 Model FLEX4	7.13
7.5.2.3 Model FLEX9	7.18
7.5.2.4 Accuracy in bending	7.19
7.5.2.5 Effect of joint cohesion	7.20
7.6 FIELD DATA	7.21
7.6.1 Case Study C	7.22
7.6.1.1 Analysis with program FLEX	7.22
7.6.1.2 Analysis with Cosserat model	7.23
7.6.1.3 Analysis with program UDEC	7.23
7.7 SUMMARY AND CONCLUSIONS	7.25
<b>8. DAYE OPEN PIT MINE - STUDIES UNDERTAKEN BY THE AUSTRALIAN RESEARCH TEAM</b>	<b>8.1</b>
<hr/>	
8.1 INTRODUCTION	8.1
8.2 GEOLOGICAL AND ROCK MECHANICS STUDIES	8.2

---

8.2.1 Structural Geology of Area A	8.3
8.2.2 Material Properties	8.3
8.2.3 Groundwater Conditions	8.5
8.2.4 Slope Remediation and Wall Reinforcement	8.6
8.2.4.1 Reinforcement capacity	8.8
8.2.5 Monitoring	8.9
8.3 MODEL DAYE1	8.11
8.3.1 Physical Modelling	8.11
8.3.2 Numerical Modelling	8.12
8.3.3 Limit Equilibrium Analysis	8.13
8.4 MODEL DAYE2	8.14
8.4.1 Physical Modelling	8.15
8.4.2 Numerical Modelling	8.17
8.5 MODEL DAYE3	8.21
8.5.1 Physical Modelling	8.22
8.5.2 Numerical Modelling	8.23
8.6 STABILITY OF DAYE OPEN PIT MINE - AREA A	8.25
8.6.1 Slip Surface Analysis	8.27
8.6.1.1 Preliminary analyses	8.27
8.6.1.2 Back-analysis of Section I-I	8.28
8.6.1.3 Analysis of pit stability below RL -60	8.31
8.6.2 Toppling Analysis	8.32
8.6.3 Numerical Analysis	8.33
8.6.3.1 Original Geological Model - Section A-A	8.36
8.6.3.2 Revised Geological Model - Section I-I	8.37
8.6.3.3 Final Geological Model - Section I-I	8.39
8.7 SUMMARY AND CONCLUSIONS	8.47
<b>9. DAYE OPEN PIT MINE - STUDIES UNDERTAKEN BY THE CHINESE RESEARCH TEAM</b>	<b>9.1</b>
<b>10. CONCLUSIONS</b>	<b>10.1</b>
<hr/>	
10.1 GENERAL	10.1
10.2 MODELS OF OPEN PIT - UNDERGROUND MINE INTERACTION	10.3
10.3 FLEXURAL TOPPLING	10.3
10.4 DAYE OPEN PIT MINE	10.5
<b>11. REFERENCES</b>	<b>11.1</b>
<hr/>	