

## ■ CONTENTS

<b>PREFACE</b> .....	i
<b>ACKNOWLEDGEMENTS</b> .....	iii
<b>EDITORS</b> .....	iii
<b>FOREWORD</b> .....	v

# 1

---

<b>Introduction</b> .....	3
<b>1.1 OBJECTIVES OF THE GUIDE</b> .....	3
<b>1.2 BACKGROUND</b> .....	3
<b>1.3 THE CURRENT SITUATION</b> .....	3
<b>1.4 THE DRIVERS</b> .....	4
<b>1.5 THICKENED TAILINGS AS A CONTINUUM</b> .....	5
<b>1.6 CLASSIFICATION SYSTEM</b> .....	6
1.6.1 Proposed system.....	7
1.6.1.1 Above ground deposition .....	7
1.6.1.2 Below ground deposition .....	8
1.6.1.3 Justifying proposed limits .....	8
1.6.1.4 Subdivision within slurry consistency .....	8
<b>1.7 ABOUT THE GUIDE</b> .....	8
<b>AUTHOR DETAILS</b> .....	9

# 2

---

<b>Making Tailings Disposal Sustainable: A Key Business Issue</b> .....	13
<b>2.1 PREAMBLE</b> .....	13
<b>2.2 COSTS AND FINANCIAL RISK MANAGEMENT</b> .....	14
2.2.1 Capital costs.....	15
2.2.1.1 Tailings containment.....	15
2.2.1.2 Thickening, pumping and piping costs .....	15
2.2.2 Operating costs .....	16
2.2.2.1 Water conservation .....	16
2.2.2.2 Energy conservation.....	16
2.2.2.3 Reagent conservation .....	16

2.2.2.4	Reduced backfill costs .....	16
2.2.2.5	Operator and plant safety.....	16
2.2.3	Closure — reduced costs and increased certainty .....	17
2.2.3.1	Reclamation and closure costs.....	17
2.2.3.2	Financial accounting and risk reduction .....	17
2.2.3.3	Reduced financial provisions and insurance costs.....	19
<b>2.3</b>	<b>SOCIAL AND ENVIRONMENTAL BENEFITS</b> .....	19
2.3.1	Reduced risk of tailings failures .....	19
2.3.2	Public safety .....	19
2.3.3	Reductions in greenhouse gas emissions .....	20
2.3.4	Reduced regulatory risk.....	20
2.3.5	Public perceptions and the “public licence to operate”.....	20
<b>2.4</b>	<b>SPECIAL MANAGEMENT ISSUES</b> .....	21
2.4.1	Dust .....	21
2.4.2	Acid generation .....	21
2.4.3	Density management.....	21
<b>2.5</b>	<b>FUTURE DIRECTIONS</b> .....	21
	<b>AUTHOR DETAILS</b> .....	22

# 3

<b>Rheological Concepts</b>	25
<b>3.1 PREAMBLE</b> .....	25
<b>3.2 SUMMARY FLOWSHEET FOR THE SELECTION, DESIGN AND TESTING FOR THICKENED DISPOSAL IMPLEMENTATION</b> .....	26
<b>3.3 THE IMPORTANCE OF RHEOLOGY IN A THICKENED DISPOSAL IMPLEMENTATION STRATEGY</b> .....	27
<b>3.4 IMPORTANT RHEOLOGICAL CONCEPTS</b> .....	28
<b>3.5 RHEOLOGICAL PROPERTY MEASUREMENT</b> .....	29
<b>3.6 RHEOLOGICAL REQUIREMENTS FOR THE CHOSEN DISPOSAL METHOD</b> 30	
3.6.1 Depositional requirements — Point 1, Figure 3.3.....	30
3.6.2 Pipeline transportation requirements — Point 2, Figure 3.3.....	34
3.6.3 Thickening requirements: compressional rheology — Point 3, Figure 3.3 .....	35
<b>3.7 CONCLUSION</b> .....	36
<b>ACKNOWLEDGEMENTS</b> .....	37
<b>AUTHOR DETAILS</b> .....	37

# 4

---

<b>Material Characterisation</b>	41
<b>4.1 PREAMBLE</b>	41
<b>4.2 PREPARATION</b>	42
4.2.1 Particle size distribution	42
4.2.2 pH	43
4.2.3 Mineralogy	44
4.2.4 Process water quality	45
4.2.5 Representativeness	46
4.2.6 Co-disposal	46
<b>4.3 POST-TREATMENT</b>	46
4.3.1 Transport	47
4.3.2 Placement	48
4.3.2.1 Beach geometry	48
4.3.2.2 Shear strength	49
4.3.2.3 Liquefaction considerations	49
4.3.2.4 Consolidation and desiccation of P&TT	50
4.3.2.5 Water retention ability	50
4.3.2.6 Shrinkage limit	51
4.3.2.7 Hydraulic conductivity	51
4.3.2.8 Geochemistry	51
4.3.2.9 Erodibility	53
4.3.2.10 Dust generation	53
<b>4.4 CONCLUSIONS</b>	54
<b>AUTHOR DETAILS</b>	55

# 5

---

<b>Slurry Chemistry</b>	59
<b>5.1 PREAMBLE</b>	59
<b>5.2 DISPERSED STATE COLLOIDAL SYSTEMS</b>	59
5.2.1 Hydrophobic colloid theory	60
5.2.1.1 Surface charge potential	60
5.2.1.2 Diffuse layer thickness	61
5.2.2 Hydrophobic colloid particle interaction	61

<b>5.3 CLAY MINERAL COLLOIDAL PROPERTIES</b> .....	61
5.3.1 Particle size and shape .....	62
5.3.2 Clay particle surface charge.....	63
<b>5.4 CLAY SLURRY BEHAVIOUR</b> .....	64
5.4.1 Suspended clay cation exchanged state.....	64
5.4.2 Suspension pH.....	64
5.4.3 Suspension ionic concentration .....	65
5.4.4 Clay slurry behavioural maps .....	65
5.4.4.1 Dispersion behaviour map.....	65
5.4.4.2 Rheology behaviour map.....	66
<b>5.5 SLURRY CHEMISTRY MEASUREMENTS</b> .....	66
5.5.1 Slurry concentration.....	66
5.5.2 Particle shape and size .....	69
5.5.3 pH and conductivity.....	71
5.5.4 Zeta potential.....	73
5.5.5 Dispersion and agglomeration.....	73
<b>5.6 CONCLUSION</b> .....	74
<b>AUTHOR DETAILS</b> .....	74

# 6

---

<b>Reagents</b> .....	79
<b>6.1 PREAMBLE</b> .....	79
<b>6.2 HISTORY OF FLOCCULANTS AND COAGULANTS</b> .....	79
<b>6.3 SYNTHETIC ORGANIC POLYMERS</b> .....	80
6.3.1 Synthetic flocculants.....	80
6.3.2 Inorganic salts .....	80
6.3.3 Advantages and disadvantages of inorganic salts .....	80
6.3.4 Synthetic organic coagulants.....	81
6.3.5 High molecular weight polyacrylamide based flocculants (bridging type polymers).....	81
<b>6.4 BRIDGING TYPE POLYMERS</b> .....	81
6.4.1 Mechanism of bridging flocculation.....	82
6.4.1.1 Adsorption of anionic flocculants.....	82
6.4.1.2 Adsorption of nonionic flocculants.....	82
6.4.1.3 Adsorption of cationic flocculants.....	82
6.4.2 The properties of flocculants in solution .....	82

<b>6.5</b>	<b>POLYMER CHAINS IN SOLUTION</b> .....	82
<b>6.6</b>	<b>THEORY OF FLOCCULATION AND COAGULATION</b> .....	83
6.6.1	Flocculant optimisation .....	83
6.6.2	Effect of flocculants on settled solids density .....	83
6.6.3	Factors that affect particles in suspension.....	84
6.6.4	Nature of the solids present and the effect of particle size.....	84
6.6.5	Concentration of the solids present.....	84
6.6.6	Surface charge / system pH .....	84
6.6.7	Type and quantity of dissolved ions present .....	85
6.6.8	Flocculant choice.....	85
<b>6.7</b>	<b>PHYSICAL FORM OF POLYMERS</b> .....	85
6.7.1	Solid grade polymers.....	85
6.7.2	Polymer blocks .....	85
6.7.3	Emulsion polymers.....	85
6.7.4	Dispersion polymers .....	85
6.7.5	Solution polymers.....	86
<b>6.8</b>	<b>FACTORS AFFECTING POLYMER PERFORMANCE</b> .....	86
6.8.1	Product longevity .....	86
6.8.2	Polymer make-up (water quality).....	86
6.8.3	Effect of pH .....	86
6.8.4	Effect of dissolved salts.....	86
6.8.5	Effect of molecular weight.....	86
6.8.5.1	Flocculants.....	86
6.8.5.2	Coagulants.....	87
6.8.6	Rate of solubility .....	87
6.8.7	Effect of shear .....	87
<b>6.9</b>	<b>PRODUCT APPLICATION</b> .....	87
6.9.1	Make-up equipment construction .....	87
6.9.2	Dilution .....	87
6.9.3	Effect of process addition points.....	88
6.9.4	Effect of polymer dose .....	88
6.9.5	Other related factors.....	88
6.9.6	Treatment control.....	88
6.9.7	Non-specification materials.....	88
<b>6.10</b>	<b>THE FUTURE OF FLOCCULANTS</b> .....	89
6.10.1	Improvements beyond conventional flocculants.....	89
6.10.2	Modification of polymer.....	90
<b>6.11</b>	<b>SUMMARY</b> .....	90
	<b>AUTHOR DETAILS</b> .....	90

<b>Thickening and Filtration</b>	95
<b>7.1 PREAMBLE</b>	95
<b>7.2 DEVELOPMENT OF THICKENING AND FILTRATION</b>	95
7.2.1 Thickeners	95
7.2.2 Filters	95
<b>7.3 SCIENCE OF THICKENING</b>	95
7.3.1 Thickening theory	95
7.3.2 Thickening phases	96
7.3.3 Factors affecting the thickening process	96
7.3.4 Use of flocculants and coagulants in thickening	96
7.3.5 Unit area sizing	96
7.3.6 Rise rate sizing	96
7.3.7 Compression zone sizing	96
7.3.8 Sizing conventional and high-rate thickeners	96
7.3.9 Sizing for ultra high-rate thickeners	97
7.3.10 Sizing for ultra high-density and deep cone thickeners	97
7.3.11 Underflow solids concentration and rheology	97
7.3.11.1 Predicting underflow concentrations and rheology	97
7.3.11.2 Factors that affect underflow rheology and predicted solids	97
7.3.12 Thickener sizing conclusions	98
<b>7.4 THICKENING EQUIPMENT TYPES</b>	98
7.4.1 Elevated tanks	98
7.4.2 Bridge mounted	99
7.4.3 Column mounted	99
7.4.4 Caisson design	99
<b>7.5 THICKENER RAKES</b>	100
7.5.1 Single pipe rake arm	100
7.5.2 Low profile rake arm	101
7.5.3 Box truss rake arm	102
7.5.4 Swing lift rake arm	102
7.5.5 Thickening or dewatering pickets	103
<b>7.6 THICKENER DRIVE TYPES</b>	103
7.6.1 Centre drives	103
7.6.2 Peripheral drives	103

<b>7.7 THICKENER DESIGNS</b> .....	104
7.7.1 Conventional thickener .....	104
7.7.2 High-rate thickener .....	104
7.7.2.1 Feedwell design .....	105
7.7.2.2 Dilution systems .....	105
7.7.3 Ultra high-rate (rakeless) thickener .....	106
7.7.4 Ultra high-density (paste) thickener .....	106
<b>7.8 THICKENER CONTROLS</b> .....	112
7.8.1 Conventional and high-rate thickener controls .....	112
7.8.2 Ultra high-rate (rakeless) thickeners .....	114
7.8.3 Ultra high-density thickeners .....	114
<b>7.9 RELATIVE COST OF THICKENERS</b> .....	114
7.9.1 General cost numbers for installed thickeners (thickened tailings and paste) .....	114
<b>7.10 THE SCIENCE OF FILTER SIZING AND OPERATING PRINCIPLES</b> .....	114
7.10.1 Laboratory scale tests for filter sizing .....	115
7.10.2 Filter sizing criteria .....	116
<b>7.11 TYPES OF FILTRATION EQUIPMENT</b> .....	116
7.11.1 Vacuum filters .....	116
7.11.1.1 Drum filters .....	116
7.11.1.2 Disc filters .....	117
7.11.1.3 Horizontal belt filters .....	118
7.11.2 Pressure filters .....	119
7.11.2.1 Horizontal pressure filters .....	119
7.11.2.2 Belt press filters .....	120
<b>7.12 RELATIVE COST OF FILTRATION EQUIPMENT</b> .....	120
7.12.1 Cost of various filter types .....	120
7.12.2 Combination: thickeners and filters .....	120
<b>7.13 OPERATING PHILOSOPHY FOR THICKENED TAILINGS/PASTE     GENERATION</b> .....	121
7.13.1 Process considerations .....	121
7.13.2 Thickener equipment considerations .....	121
7.13.3 Thickener – filter combination considerations .....	121
7.13.4 Transportation considerations .....	122
<b>ACKNOWLEDGEMENTS</b> .....	122
<b>AUTHOR DETAILS</b> .....	122

<b>High Concentration Hydraulic Transport Systems</b>	129
<b>8.1 PREAMBLE</b> .....	129
<b>8.2 SLURRY FLOW BEHAVIOUR</b> .....	129
8.2.1 Settling slurries .....	129
8.2.2 Non-settling slurries .....	129
8.2.3 Mixed regime slurries .....	129
8.2.4 Paste mixtures .....	129
8.2.5 Dense phase mixtures .....	129
<b>8.3 PUMP TYPES</b> .....	130
8.3.1 Centrifugal pumps .....	130
8.3.1.1 Effect of solids on pump performance in thickened tailings applications .....	130
8.3.1.2 Effect of wear on pump performance .....	131
8.3.1.3 Limiting centrifugal pump wear .....	131
8.3.2 Positive displacement pumps .....	131
8.3.2.1 Rotary pumps .....	131
8.3.2.2 Reciprocating pumps .....	132
8.3.2.3 Piston diaphragm pumps .....	132
8.3.2.4 Valves in reciprocating pumps .....	132
8.3.2.5 Suction requirements .....	132
8.3.2.6 Operating characteristics of positive displacement pumps .....	132
8.3.3 Comparison between centrifugal and positive displacement pumps .....	132
<b>8.4 ALTERNATIVE TRANSPORT OPTIONS</b> .....	133
8.4.1 Conveying options .....	133
8.4.2 Trucking options .....	133
<b>8.5 DESIGN OF HIGH CONCENTRATION SLURRY PIPELINE SYSTEMS</b> .....	134
8.5.1 Slurry flow modelling .....	134
8.5.1.1 Thickened and paste tailings .....	134
8.5.1.2 Pipeline design for laminar flow transport .....	136
8.5.2 Pump and pipeline interaction .....	136
8.5.2.1 Centrifugal pumps .....	136
8.5.2.2 Positive displacement pumps .....	136
8.5.3 Hydraulic grade line .....	136
8.5.4 Pipeline mechanical design .....	139



<b>8.6 ECONOMIC EVALUATION OF THICKENED TAILINGS PUMPING</b>	
<b>SYSTEMS</b> .....	139
8.6.1 Capital costs: centrifugal versus positive displacement pumps .....	139
8.6.1.1 Pressure.....	139
8.6.1.2 Standby requirements .....	139
8.6.1.3 Motor requirements.....	139
8.6.1.4 Process considerations .....	139
8.6.2 Capital costs: pipeline considerations .....	140
8.6.2.1 Pressure considerations .....	140
8.6.2.2 Pipe jointing .....	140
8.6.3 Capital costs: other considerations .....	140
8.6.4 Annual operating costs .....	140
8.6.4.1 Annual costs: power and water .....	141
8.6.4.2 Annual costs: maintenance .....	142
8.6.4.3 Annual costs: personnel .....	142
8.6.4.4 Annual costs: preparation.....	142
8.6.4.5 Cost schedule.....	142
8.6.5 Financial comparison .....	142
<b>8.7 CONCLUSIONS</b> .....	142
<b>ACKNOWLEDGEMENTS</b> .....	143
<b>AUTHOR DETAILS</b> .....	143

# 9

<b>Above Ground Disposal</b> .....	147
<b>9.1 PREAMBLE</b> .....	147
<b>9.2 INTRODUCTION</b> .....	147
<b>9.3 BENEFITS AND DISADVANTAGES OF HIGH-DENSITY THICKENED TAILINGS STORAGE SYSTEMS</b> .....	149
9.3.1 Potential advantages .....	149
9.3.2 Potential disadvantages.....	152
9.3.3 Summary.....	153
<b>9.4 DESIGN CONSIDERATIONS</b> .....	153
9.4.1 Shape, layout and geometry.....	153
9.4.2 Profiles of thickened TSFs.....	154
9.4.3 Ensuring geotechnical stability .....	156

9.4.4	Water management .....	156
9.4.5	Strength and density.....	157
9.4.5.1	Drying and consolidation .....	157
9.4.5.2	Liquefaction potential .....	159
<b>9.5</b>	<b>OPERATION AND MANAGEMENT .....</b>	<b>159</b>
9.5.1	Facility operation and maintenance .....	159
9.5.2	Risk management.....	160
9.5.3	Environmental.....	160
9.5.3.1	Seepage .....	160
9.5.3.2	Wind erosion and dust generation.....	161
9.5.3.3	Water erosion.....	161
9.5.3.4	Closure considerations.....	162
<b>AUTHOR DETAILS</b>	.....	<b>163</b>

# 10

---

<b>Mine Backfill</b>	.....	<b>169</b>
<b>10.1 PREAMBLE</b>	.....	<b>169</b>
10.1.1	Linkages to other chapters .....	169
10.1.2	Rationale for outline of the Mine Backfill chapter .....	169
10.1.3	Complementary issues covered elsewhere .....	170
<b>10.2 IMPORTANT INITIAL CONSIDERATIONS FOR UNDERGROUND VERSUS SURFACE DISPOSAL</b>	.....	<b>170</b>
10.2.1	Typical commodity-specific benefits from underground paste disposal.....	170
10.2.1.1	Base metals .....	170
10.2.1.2	Coal.....	170
10.2.1.3	Gold.....	171
10.2.1.4	Platinum.....	172
10.2.2	Influence of mining methods on successful integration with paste fill.....	172
10.2.3	Justification for paste fill underground.....	173
10.2.3.1	Assessment of the status quo regarding paste in older, still operating mines.....	173
10.2.3.2	Considerations in complying with applicable environmental laws.....	173
10.2.3.3	Financial justification.....	173
10.2.3.4	Selection of suitable concept and equipment .....	173

<b>10.3</b>	<b>DEFINING THE REQUIRED PROPERTIES FOR THE UNDERGROUND</b>	
	<b>PASTE FILL</b> .....	174
10.3.1	Paste system design process .....	174
10.3.2	In situ paste fill properties.....	174
10.3.2.1	Rock mechanics requirements .....	174
10.3.2.2	Environmental requirements and considerations.....	175
10.3.3	Optimised paste system design .....	176
10.3.4	Considerations for successful hydraulic transportation to the stope .....	177
10.3.4.1	Vertical and horizontal distances .....	177
10.3.4.2	Boreholes.....	177
10.3.4.3	Optimal, not maximum, paste density .....	177
10.3.4.4	Viscosity control, not density control .....	178
10.3.4.5	Pump requirements.....	178
10.3.4.6	Additives and binders.....	178
10.3.4.7	Risks associated with coarse particle additions .....	178
10.3.4.8	Laminar settling.....	178
10.3.4.9	Pipeline design standards .....	178
10.3.4.10	Water hammer .....	179
10.3.4.11	Borehole and shaft column loggings.....	179
<b>10.4</b>	<b>SOME IMPORTANT OPERATIONAL ASPECTS</b> .....	179
10.4.1	Quality control at strategic points .....	179
10.4.2	Distribution pipe rheometer .....	180
10.4.3	Free-fall versus full-flow.....	180
10.4.4	“PSI pill” for in-transit measurements .....	180
10.4.5	Flush water or restart ability .....	181
<b>10.5</b>	<b>EXAMPLES OF CURRENTLY OPERATING PASTE SYSTEMS FOR</b>	
	<b>MINE FILL</b> .....	181
10.5.1	Uncemented paste fill system, Boulby mine .....	181
10.5.2	Variable recipe, high-flexibility paste system, Kidd Creek.....	183
10.5.3	Overview of underground paste fill and thickened tailings systems .....	184
<b>10.6</b>	<b>POTENTIAL MINE CLOSURE BENEFITS</b> .....	184
<b>10.7</b>	<b>SUMMARY OF CRITICAL ISSUES FOR SUCCESSFUL</b>	
	<b>PASTE OPERATION</b> .....	184
	<b>ACKNOWLEDGEMENTS</b> .....	186
	<b>AUTHOR DETAILS</b> .....	186

---

<b>Closure Considerations</b>	189
<b>11.1 PREAMBLE</b>	189
<b>11.2 SAFETY</b>	189
<b>11.3 STABILITY</b>	189
<b>11.4 AESTHETIC ACCEPTABILITY</b>	190
<b>11.5 CONTROL OF ACID MINE DRAINAGE</b>	190
<b>11.6 LANDFORMS</b>	192
<b>11.7 FINANCIAL ASPECTS</b>	193
<b>11.8 RECLAMATION/REHABILITATION AND CLOSURE OF TSFs</b>	194
<b>11.9 SUMMARY</b>	197
<b>AUTHOR DETAILS</b>	197

<b>Case Studies</b>	201
<b>12.1 INTRODUCTION</b> .....	201
Acknowledgements.....	202
<b>12.2 KIDD CREEK MINE, CANADA</b> .....	202
<b>12.3 ALCOA WORLD ALUMINA, AUSTRALIA</b> .....	203
<b>12.4 PEAK MINE, AUSTRALIA</b> .....	206
<b>12.5 CENTURY ZINC, AUSTRALIA</b> .....	208
<b>12.6 AUGHINISH ALUMINA LTD, IRELAND</b> .....	209
<b>12.7 KIMBERLEY COMBINED TREATMENT PLANT, SOUTH AFRICA</b> .....	211
12.7.1 System description .....	211
12.7.1.1 Thicker installation .....	211
12.7.1.2 Pumping system .....	212
12.7.2 Disposal site .....	212
12.7.3 Operating experience.....	212
12.7.3.1 Thickening .....	212
12.7.3.2 Pumping .....	212
12.7.3.3 Deposition site .....	214
12.7.4 Conclusion .....	214
<b>12.8 OSBORNE MINE, AUSTRALIA</b> .....	214
<b>12.9 SUNRISE DAM, AUSTRALIA</b> .....	217
<b>12.10 ALCAN VAUDREUIL ALUMINA REFINERY, CANADA</b> .....	218
<b>12.11 EKAPA MINING, SOUTH AFRICA</b> .....	220
<b>12.12 COBRIZA MINE, PERU</b> .....	222
<b>12.13 FALCONBRIDGE, CANADA</b> .....	225
<b>AUTHOR DETAILS</b> .....	227
<hr/>	
<b>References</b>	229
<hr/>	
<b>Glossary</b>	239
<hr/>	
<b>Service Directory</b>	243
<hr/>	
<b>Index</b>	254
<hr/>	
<b>Author Index</b>	256