

# Table of Contents

iii	Australian Centre for Geomechanics
iv	University of Reading
vii	Committees
ix	Technical Reviewers
xiii	Preface

## Keynote addresses

3	<b>Why should we ‘think big’ on closure?</b> <i>L Tyler, J Heyes, BHP, Australia</i>
5	<b>The action is where the social is! The ecosystem services concept and other ideas for enhancing stakeholder engagement in integrated mine closure planning</b> <i>A Morrison-Saunders, Edith Cowan University, Australia; North West University, South Africa</i>
19	<b>Ecology, biodiversity and mining: science and solving the challenges</b> <i>L Mucina, Harry Butler Institute, Murdoch University, Australia; JL Tsakalos, PD Macintyre, The University of Western Australia, Australia</i>
35	<b>Designing contextual, efficient, and resilient land regeneration systems for mine closure under conditions of extreme uncertainty and resource constraints</b> <i>B Warr, BetterWorld Energy Ltd, Zambia; Stellenbosch University, South Africa</i>

## Mine site rehabilitation

53	<b>Achieving restoration targets and addressing completion criteria with remote sensing</b> <i>C Richardson, A Grigg, Alcoa of Australia Ltd, Australia; T Robinson, G Wardell-Johnson, Curtin University, Australia</i>
63	<b>Current practice and innovation in decommissioning, rehabilitation and monitoring on Barrow Island: applications for mine closure</b> <i>DA Jasper, Stantec, Australia; P Hoffman, Chevron, Australia; NC Banning, Stantec, Australia; GS Wiseman, Stantec, Canada; KE Stanbury, SJ Annison, GR Henderson, Stantec, Australia</i>
75	<b>Process-based erosion modelling for shoreline rehabilitation design of a coal mine pit lake</b> <i>CD McCullough, Mine Lakes Consulting, Australia; A van Rooijen, Deltares, Australia; DS van Maren, Deltares, Netherlands</i>
89	<b>Challenges for the closure and natural rehabilitation of bauxite residue disposal sites</b> <i>O Torgersrud, Norwegian Geotechnical Institute, Norway; GD Breedveld, University of Oslo, and Norwegian Geotechnical Institute, Norway; G Okkenhaug, University of Life Sciences, and Norwegian Geotechnical Institute, Norway; B Malme, Norsk Hydro, Norway; P Cataldi, Norsk Hydro, Brazil</i>

- 95 Mine site rehabilitation conditions in Western Australia**  
*ME Kragt, The University of Western Australia, Australia; C Lison, ARC Centre for Mine Site Restoration, Australia; A Manero, J Hawkins, The University of Western Australia, Australia*
- 111 Land subsidence/rebound change after Hazelwood mine rehabilitation**  
*EP Waghorne, GHD Pty Ltd, Australia; MM Disfani, The University of Melbourne, Australia*
- 123 A framework to prioritise high-risk abandoned mine features for rehabilitation in Western Australia**  
*I Mitchell, K Hryczyszyn, T Read, Department of Mines, Industry Regulation and Safety, Australia*
- 133 Geomorphic rehabilitation in Europe: recognition as best available technology and its role in LIFE projects**  
*JF Martín Duque, Complutense University of Madrid and Geosciences Institute, Spain; M Tejedor, C Martín-Moreno, Complutense University of Madrid, Spain; JM Nicolau, University of Zaragoza, Spain; I Zapico, Complutense University of Madrid, Spain*
- 147 Understanding the Latrobe Valley Regional Rehabilitation Strategy and why it is essential**  
*A Feigl, B Davis, M Pratt, A Kirwan, B Millsom, M Mozina, E Rampal, State Government of Victoria, Australia*
- 163 Ecological engineering to accelerate mineral weathering and transformation underpins sustainable tailings rehabilitation**  
*L Huang, Y Fang, Y Liu, S Wu, The University of Queensland, Australia; D Parry, Rio Tinto, and The University of Queensland, Australia*
- 175 Flash flaming technology shows promise to improve seed-based rehabilitation outcomes**  
*E Ling, AL Guzzomi, The University of Western Australia, Australia; DJ Merritt, Department of Biodiversity, Conservation and Attractions, Australia; M Renton, TE Erickson, The University of Western Australia, Australia*
- 185 Designing for success: applying ecological criteria to restoration at BHP Beenup, Australia**  
*K Meney, L Pantelic, Syrinx Environmental PL, Australia*
- 199 Improvements to mechanical direct seeder design guided by the optimal sowing depth of soft spinifex (Triodia pungens)**  
*M Masarei, AL Guzzomi, The University of Western Australia, Australia; DJ Merritt, Department of Biodiversity, Conservation and Attractions, Australia; TE Erickson, The University of Western Australia, Australia*

## Geotechnical considerations

- 211 Geotechnical risk management for open pit mine closure: a sub-arctic and semi-arid case study**  
*PJH de Graaf, The De Beers Group of Companies, Anglo American, South Africa; M Desjardins, De Beers Canada Inc., Canada; P Tshoko, Anglo American Metallurgical Coal, South Africa*
- 235 Geotechnical considerations for the stability of open pit excavations at mine closure: some scenarios**  
*I de Bruyn, D Prado, J Mylvaganam, D Walker, SRK Consulting (Australasia) Pty Ltd, Australia*
- 249 Toward a common practice in the selection of earthquake ground motion criteria for the design of critical mining facilities at closure and post-closure**  
*M Martinez, Golder Associates S.A., Chile; A Hull, Golder Associates Inc., USA*

- 263**      **Stabilising an underground void: monolithic construction using self-consolidating concrete**  
*A Pakula, R Preston, D Kennard, Golder Associates Ltd., Canada; C MacInnis, Crown-Indigenous Relations and Northern Affairs Canada, Canada*
- 275**      **Mine waste characterisation: the benefits of applying practical geological knowledge**  
*G Wesley, S Mackenzie, Mine Earth Pty Ltd, Australia; G Campbell, Graeme Campbell & Associates Pty Ltd, Australia*
- 287**      **Informed mine closure by multi-dimensional modelling of tailings deposition and consolidation**  
*H Zhou, A Amodio, N Boylan, Norwegian Geotechnical Institute, Australia*

## Social aspects and communities

- 305**      **Social aspects of mine closure: the elephant in the room**  
*J Edwards, A Maritz, SRK Consulting (South Africa) (Pty) Ltd, South Africa*
- 317**      **Discounting social mine closure planning**  
*M January, 3 Circle Consulting, South Africa; H Lee, International University of Japan, Japan*
- 333**      **Life post-closure: perception and use of rehabilitated mine sites by local communities**  
*K Svobodova, The University of Queensland, Australia*
- 345**      **Interesting case studies of conscious uncoupling**  
*D Aheto-Tsegah, Golder Associates (Gh) Ltd, Ghana*
- 355**      **Innovative community engagement for the quantitative risk assessment for a mine closure and reclamation plan**  
*L Christoffersen, SRK Consulting (Canada) Inc., Canada; S Reinecke, M Shoesmith, Stratos Inc., Canada; E McKennirey, Crown-Indigenous Relations and Northern Affairs Canada, Canada; L Pilgrim, D Rae, Wood PLC, Canada*

## Landforms

- 371**      **Mine landforms in Western Australia from dump to landform design: review, reflect and a future direction**  
*HWB Lacy, Mine Closure Management Services Pty Ltd, Australia*
- 385**      **Tailings storage facility landform evolution modelling**  
*H Thomson, SRK Consulting (Australasia) Pty Ltd, Australia; L Chandler, Æthos Consulting, Australia*
- 397**      **Whole-of-landform erosion assessment using unmanned aerial vehicle data**  
*M Braimbridge, S Mackenzie, Mine Earth, Australia; M Lyons, T Clarke, Regis Resources Limited, Australia; B Bow, Atlas Iron Pty Ltd, Australia*
- 407**      **Roy Hill waste landform design and construction process**  
*V de San Miguel, T Stone, Roy Hill Iron Ore Pty Ltd, Australia; M Braimbridge, S Mackenzie, Mine Earth Pty Ltd, Australia*

- 419 **A case for consequence categories to guide the closure design of landforms**  
*P Chapman, A Kemp, Golder Associates Pty Ltd, Australia*
- 425 **Developing a rehabilitation standard for landform stability for a uranium mine in northern Australia**  
*JBC Lowry, MJ Saynor, Department of the Environment and Energy, Australia*

## Closure planning and stakeholders

- 437 **How can frameworks inform water quality objectives for the closure of the Ranger mine?**  
*M Iles, Energy Resources of Australia Ltd, Australia*
- 447 **Clarifying closure scenarios through integrated planning at the Cerrejón mine in Colombia**  
*J Ricaurte, Cerrejón Coal Mine, Colombia; CD Grant, Anglo American, Australia; A Freitas, Golder Associates Brasil Consultoria e Projetos Ltda., Brazil; PR Botha, Anglo American, South Africa*
- 457 **The Pardoo mine: closure planning, implementation and five years of performance monitoring data**  
*S Gregory, S Mackenzie, Mine Earth Pty Ltd, Australia; B Bow, Atlas Iron Pty Ltd, Australia*
- 471 **A stakeholder advisory committee as a mechanism to guide the preparation of a regional mine rehabilitation strategy: two years in, what have we learnt?**  
*S Lloyd, Latrobe Valley Mine Rehabilitation Advisory Committee, Australia*
- 479 **New uses for old infrastructure: 101 things to do with the ‘stuff’ next to the hole in the ground**  
*SJ Finucane, K Tarnow, Bioscope Environmental Consulting Pty Ltd, Australia*
- 497 **Foresight in hindsight**  
*PJ Lombard, GHD Pty Ltd, Australia*

## Risks

- 511 **An interjurisdictional approach to designing residual risk policy**  
*A Shrivathsa, S Cooper, Queensland Government, Australia*
- 525 **A framework for identification and planning of environmental research needs to inform rehabilitation of Ranger Uranium Mine**  
*MA Welch, RE Bartolo, AJ Harford, Department of Environment and Energy, Australia*
- 535 **Mine closure residual risk management: identifying and managing credible failure modes for tailings and mine waste**  
*J Sanders, H McLeod, A Small, Klohn Crippen Berger Ltd., Canada; C Strachotta, Klohn Crippen Berger Ltd, Australia*
- 553 **The multi-risk vulnerability of global coal regions in the context of mine closure**  
*K Svobodova, JR Owen, E Lebre, M Edraki, A Littleboy, The University of Queensland, Australia*
- 563 **Risk profiling and control of spontaneous combustion for coal mine closure**  
*B Williams, K Donaldson, Flinders Power, Australia; B Beamish, B3 Mining Services, Australia*

- 577 Analysis of dry cover systems composed of tropical soils for mining waste**  
*DA Perotti, Universidade de São Paulo, Brazil; GFN Gitirana Jr, Universidade Federal de Goiás, Brazil; MD Fredlund, SoilVision Systems Ltd., Canada*

## Tailings covers

- 593 Six years of cover performance data for leading practice store and release cover trials at Century Mine**  
*PL Defferrard, New Century Resources Limited, Australia; TK Rohde, SGM Environmental Pty Limited, Australia*
- 607 Will tree colonisation increase the risks of serious performance loss of engineered covers under climate change in Québec, Canada?**  
*Y-D Botula, M Guittonny, B Bussière, Université du Québec en Abitibi-Témiscamingue, Canada; É Bresson, Polytechnique Montréal, Canada*
- 621 Tailings storage facilities store-and-release cover design for the Cobar region**  
*NP Jamson, TK Rohde, SGM Environmental Pty Ltd, Australia*
- 635 Coal ash waste categorisation to determine a regulatory capping profile for coal ash pond rehabilitation**  
*PS Fridell, C Pearson, Environmental Resources Management Australia Pty Ltd, Australia; F Woskoboenko, HRL Technology Group Pty Ltd, Australia; R Brooker, MK Schenkel, ENGIE Australia Pty Ltd, Australia*

## Revegetation after closure

- 651 Too much of a good thing: phosphorus over-fertilisation in rehabilitated landscapes of high biodiversity value**  
*M Tibbett, R O'Connor, MI Daws, University of Reading, UK*
- 667 Combining seed burial, land imprinting and an artificial soil crust dramatically increases the emergence of broadcast seed**  
*MP Dobrowolski, Iluka Resources Limited, and The University of Western Australia, Australia*
- 679 A case study of seed-use technology development for Pilbara mine site rehabilitation**  
*TE Erickson, The University of Western Australia, Australia; M Muñoz-Rojas, The University of New South Wales, Australia; AL Guzzomi, M Masarei, E Ling, AM Bateman, OA Kildisheva, AL Ritchie, SR Turner, The University of Western Australia, Australia; B Parsons, Greening Australia, Australia; P Chester, Rio Tinto (Iron Ore Division, Western Australia), Australia; T Webster, S Wishart, BHP Western Australia Iron Ore Pty Ltd, Australia; JJ James, University of California, USA; MD Madsen, Brigham Young University, USA; SR Abella, University of Nevada, USA; DJ Merritt, Department of Biodiversity, Conservation and Attractions, Australia*
- 693 Applied phosphorus has long-term impacts on vegetation responses in restored jarrah forest**  
*MI Daws, University of Reading, UK; AH Grigg, Alcoa of Australia Ltd, Australia; RJ Standish, Murdoch University, Australia; M Tibbett, University of Reading, UK*
- 705 Target Ecosystem Assessment Model: a process to develop target revegetation prescriptions in the mine closure landscape**  
*B Logan, V Futoransky, S Dietrich, BH Flemming, V Wilson, L Waterman, Paragon Soil and Environmental Consulting Inc., Canada*

- 719**      **Harnessing ecological processes in the Ranger Uranium Mine revegetation strategy**  
*P Lu, I Meek, Energy Resources of Australia Ltd, Australia*
- 733**      **Growth of rye grass and clover in artificial topsoils: a case study**  
*L Mundodi, M Yellishetty, V Wong, A Walmsley, Monash University, Australia; J Missen, N Anderson, AGL Loy Yang, Australia*
- 741**      **A ground up approach to revegetation in the arid zone**  
*G Christie, B Horner, AT Scanlon, J Lemon, Succession Ecology Pty Ltd, Australia; B Williams, Flinders Power, Australia*
- 753**      **Bang for your buck: revegetating arid sites using coloniser species**  
*B Horner, G Christie, Succession Ecology Pty Ltd, Australia; B Williams, Flinders Power, Australia; AT Scanlon, J Lemon, Succession Ecology Pty Ltd, Australia*

## **Policies and standards**

- 761**      **An update on the development of mine closure and reclamation standards by the International Organization for Standardization**  
*DP Murphy, Golder Associates Pty Ltd, Australia; M Nahir, Crown-Indigenous Relations and Northern Affairs, Canada; C Didier, French National Institute for Industrial Environment and Risks, France*
- 771**      **Environmental regulatory oversight: transitioning from an operational to rehabilitation framework**  
*JP Miller, Department of Environment and Energy, Australia*
- 781**      **Introducing the International Council on Mining and Metals' Integrated Mine Closure Good Practice Guide**  
*D Brock, International Council on Mining and Metals, UK; B Weeks, Golder Associates Inc., Canada; J Heyes, BHP, Australia*
- 789**      **A repurposing framework for alignment of regional development and mine closure**  
*DP Murphy, Golder Associates Pty Ltd, Australia; J Fromm, R Bairstow, Pilbara Development Commission, Australia; D Meunier, Jacobs Australia, Australia*
- 803**      **Mine rehabilitation in the Latrobe Valley, the start of a long journey: the Commissioner's role**  
*R Mackay, Latrobe Valley Mine Rehabilitation Commissioner, Australia; R Hastie, H Lilley, M Mathew, Office of the Latrobe Valley Mine Rehabilitation Commissioner, Australia*
- 817**      **Does the integration of environmental impact assessment and mine closure planning deliver effective mine closure plans in Western Australia?**  
*R Getty, SRK Consulting (Australasia) Pty Ltd, Australia; A Morrison-Saunders, Edith Cowan University, Australia; North West University, South Africa*
- 833**      **Proceedings Author Index**