

# Table of Contents

iii	Australian Centre for Geomechanics
v	Committees
vii	Technical Reviewers
xi	Preface
xiii	Symposium Sponsors

## Keynote addresses

- 3**      **BHP mine water management: an integrated approach to manage risk and optimise resource value**  
*C Ahumada Calderon, BHP, Australia*
- 17**     **Slope performance monitoring: system design, implementation and quality assurance**  
*R Sharon, Sharon Geotechnical LLC, USA*
- 39**     **Geomechanics of Australian open cut coal mining**  
*JV Simmons, Sherwood Geotechnical and Research Services, and The University of Newcastle, Australia*
- 65**     **Hydromechanical coupling concepts for mine slopes**  
*TD Sullivan, PSM, Australia*

## Safety and risk management

- 101**    **Risk-based slope monitoring framework**  
*J Armstrong, Nevada Gold Mines, USA; R Sharon, Piteau Associates Ltd., USA; C Williams, B Ross, University of Arizona, USA*
- 117**    **Practical waste rock dump and stockpile management in high rainfall and seismic regions of Papua New Guinea**  
*N Bar, Gecko Geotechnics Pty Ltd, Australia; J Semi, M Koek, Ok Tedi Mining Limited, Papua New Guinea; G Owusu-Bempah, A Day, Harmony Gold Mining Company Limited, Papua New Guinea; S Nicoll, J Bu, Newcrest Mining Limited, Papua New Guinea*
- 129**    **New techniques for characterising damage in rock slopes: implications for engineered slopes and open pit mines**  
*D Donati, D Stead, Simon Fraser University, Canada; D Elmo, University of British Columbia, Canada; E Onsel, Simon Fraser University, Canada*
- 145**    **Economic consequences of geotechnical instabilities in open cut coal mines**  
*K Young, A Robotham, G Virk, BHP, Australia*

- 155 Regulation of open pit slope stability in Russia**  
*A Makarov, I Livinsky, V Spirin, SRK Consulting (Russia) Limited, Russia; A Pavlovich, Saint-Petersburg Mining University, Russia*
- 165 An overview of the slope monitoring program at the Serra Sul Iron Ore Project, S11D, northern Brazil**  
*MF Souza, E Friguetto, WJ Souza, AHCR Castro, Vale S.A., Brazil*
- 177 Trigger action response plan development and optimisation at the Bingham Canyon Mine**  
*KM Bakken, GK Chapin, MG Abrahams, Rio Tinto Kennecott Copper, USA*
- 191 Management of geotechnical hazards through embracing technology and innovative thinking**  
*KT Mandisodza, Evolution Mining Ltd, Australia*
- 207 InSAR investigation of sackung-like features and debris flows in the vicinity of Hawkesbury Island and Hartley Bay, British Columbia, Canada**  
*D Huntley, D Rotheram, P Bobrowsky, G Lintern, R MacLeod, C Brillon, Geological Survey of Canada, Canada*
- 227 Analysis of velocity and acceleration trends using slope stability radar to identify failure ‘signatures’ to better inform deformation trigger action response plans**  
*R Shellam, SRK Consulting (UK) Limited, UK; J Coggan, University of Exeter, UK*
- 241 Use of laser scanner technology as part of the slope stability risk management strategy at Letšeng diamond mine**  
*N Lefu, Letšeng Diamonds (Pty) Ltd, Lesotho; V Nokwe, Maptek, South Africa*
- 255 Managing ice walls and other operational challenges while optimising Victor Mine late stage opportunities**  
*M Rougier, Golder, Canada; PJH de Graaf, Anglo American, De Beers Group of Companies, Australia; M Desjardins, De Beers Canada, Inc., Canada; M O’Leary, Mount Polley, Canada (formerly De Beers, Canada); N Yugo, Independent Consultant, Canada (formerly De Beers, Canada); B Kilbride, De Beers Canada, Inc., Canada*
- 265 Evolution and management of large-scale instability: a case study from Ok Tedi**  
*G Kennedy, D Casagrande, PSM, Australia*
- 281 InSAR in the clouds: satellite-based monitoring at Grasberg Mine**  
*JM Leighton, 3vGeomatics Inc., Canada; M Sullivan, Freeport McMoRan, Indonesia*
- 293 Brumadinho Dam InSAR study: analysis of TerraSAR-X, COSMO-SkyMed and Sentinel-1 images preceding the collapse**  
*D Holden, S Donegan, A Pon, 3vGeomatics Inc., Canada*
- 307 Post-shearing data collection with enhanced network smart markers**  
*T Beingessner, R Yost, Teck Resources Limited, Canada; S Steffen, D Whiteman, Elexon Mining, Australia; AM Thomas, M Royle, SRK Consulting (Canada) Inc., Canada; E Widzykcapehart, University of Chile, Chile*

- 319 Risk management and alarming based on a new atmospheric correction algorithm for ground-based radars**  
*A Cabrejo, GroundProbe Pty Ltd, Colombia; P Bellett, G Stickley, GroundProbe Pty Ltd, Australia; R Silva, Y Gunaris, J Pérez, Compañía Minera Doña Inés de Collahuasi, Chile*
- 339 The use of strain threshold in slope stability trigger action response plans**  
*S Coetsee, Reutech Mining, South Africa; R Armstrong, P Terbrugge, SRK Consulting (South Africa) (Pty) Ltd, South Africa*
- 353 i<sup>2</sup>MON: development of an integrated monitoring system for the detection of ground and surface displacements caused by coal mining**  
*D Schröder, K Zimmermann, S Bock, DMT GmbH & Co. KG, Germany; J Klonowski, Mainz University of Applied Sciences, Germany*
- 367 Influence of the hydrothermal alteration rocks on the stability of an open pit mine of the south of Peru: a case study**  
*S Castro, C Huaman, Anddes, Peru*
- 383 Case study: analysis of a highwall toppling failure and development of a successful mine re-entry plan using RS2, RocFall and Dan-W at a coal mine in Canada**  
*C Clayton, A Jackson, J Price, Tetra Tech Canada Inc., Canada; A Bidwell, Teck Coal Limited, Canada; D Elmo, The University of British Columbia, Canada*
- 399 Geotechnical risk management for Victor Mine closure**  
*M Desjardins, De Beers, Canada; PJH de Graaf, Anglo American, De Beers Group of Companies, Australia; G Beale, Piteau, UK; M Rougier, Golder, Canada*
- 415 BHP Western Australia Iron Ore geotechnical open cut slope design system: a simple pragmatic process for slope risk decisions**  
*A Haile, D Ross, A Maldonado, M Neyaz, C Rajbhandari, BHP, Australia*
- 427 Characterisation of a rock slope showing three weather-dominated failure modes**  
*M Roustaei, R Macciotta, M Hendry, J Rodriguez, University of Alberta, Canada; C Gräpel, Klohn Crippen Berger, Canada; R Skirrow, Alberta Transportation, Canada*
- 439 Monitoring and managing large deformation pit slope instabilities at a British Columbia copper mine**  
*G Dick, BGC Engineering Inc., Canada; S Nunoo, S Smith, Gibraltar Mines Ltd., Canada; W Newcomen, D Kinakin, I Stilwell, J Danielson, BGC Engineering Inc., Canada*

## **Processing of geotechnical data and limit design**

- 455 Evolution of a geotechnical model for slope design in an active volcanic environment**  
*FM Weir, MJ Fowler, TD Sullivan, M Kobler, PSM, Australia; J Bu, Newcrest Mining Limited, Papua New Guinea*

- 473 Geotechnical evaluation of the east wall of the Cerro Corona Pit**  
*J Dueñas, G Becerra, R Ordoñez, Gold Fields, Peru; PG Andrews, Gold Fields Australia Pty Ltd, Australia*
- 487 Introducing G.RE.T.A. – an innovative geo-resistivimeter for long-term monitoring of earthen dams and unstable slopes**  
*G Tresoldi, Politecnico di Milano, Italy; A Hojat, Shahid Bahonar University of Kerman, Iran and Politecnico di Milano, Italy; L Zanzi, Politecnico di Milano, Italy; A Certo, LSI Lastem s.r.l., Italy*
- 499 Capturing/interpreting non-obvious slope controlling structures**  
*Jl Mathis, Zostrich Geotechnical, USA*
- 507 Post-blast slope stability monitoring with slope stability radar**  
*P Saunders, GroundProbe Pty Ltd, Australia; JM Kabuya, ArcelorMittal Mining Canada, Canada; A Torres, GroundProbe, USA; R Simon, École Polytechnique de Montréal, Canada*
- 523 Combining structural data with monitoring data in open pit mines to interpret the failure mechanism and calibrate radar alarms**  
*P Farina, F Bardi, Geoapp s.r.l., Italy; L Lombardi, G Gigli, Università degli Studi di Firenze, Italy*
- 535 Characterisation of foliated rock masses using implicit modelling to guide geotechnical domaining and slope design**  
*E Saunders, A LeRiche, T Shapka-Fels, W Barnett, SRK Consulting (Canada) Inc., Canada*
- 551 The shear strength of bedding partings in shales of the Pilbara: the similarity of non-dilatational angles, mineralogy relationships, and nominal roughness**  
*A Maldonado, The University of Western Australia, Australia; PM Dight, Australian Centre for Geomechanics, The University of Western Australia, Australia*
- 565 Disrupting rock engineering concepts: is there such a thing as a rock mass digital twin and are machines capable of learning rock mechanics?**  
*D Elmo, University of British Columbia, Canada; D Stead, Simon Fraser University, Canada*
- 577 Tools for validating and creating reliable fault models**  
*J Danielson, D Kinakin, I Stilwell, BGC Engineering Inc., Canada*
- 591 Rock mass behaviour of deep mining slopes: a conceptual model and implications**  
*R Rimmelin, The University of Queensland and BHP, Australia; J Vallejos, University of Chile/Advanced Mining Technology Center, Chile*
- 609 Bayesian approach for the assessment of sufficiency of geotechnical data**  
*LF Contreras, SRK Consulting, Australia; M Serati, DJ Williams, The University of Queensland, Australia*
- 625 Utilising data science to test similarity of rock mass unit strength distributions in the Pilbara**  
*L J Hayman, Rio Tinto Iron Ore, Australia*

- 637**     **Assisting better decision-making of geotechnical slope design by using in-house software at BHP Iron Ore**  
*A Maldonado, A Haile, C Meegamarachchi, L Sasmita, BHP, Australia*
- 645**     **Mechanical and physical properties of chalk and impacts on mining operations and slope designs**  
*P Ebeling, Holcim Technology Ltd, Switzerland; A Iwanoff, BGW Geotechnik GmbH, Germany*
- 657**     **The effect of anisotropy orientation on the sedimentary rock strength estimated by point load testing strength, Pilbara, Australia**  
*X Gao, Rio Tinto Iron Ore, Australia*
- 667**     **Influence of particle size-shape correlation on the shear strength of scaled samples of coarse mine waste**  
*S Linero, University of Newcastle and SRK Consulting, Australia; S Fityus, University of Newcastle, Australia; JV Simmons, Sherwood Geotechnical and Research Services, Australia; E Azéma, University of Montpellier, France; N Estrada, University of Los Andes, Colombia; J Dixon, Fortescue Metals Group Ltd, Australia*
- 677**     **Waste rock characterisation and stability assessments for feasibility level studies**  
*D Dwumfour, J Dixon, Fortescue Metals Group Ltd, Australia; J Mylvaganam, SRK Consulting, Australia*
- 691**     **The intact rock strength of anisotropic rocks in the Pilbara: the use of field estimations, practical limitations of calibrations and statistical bias**  
*A Maldonado, The University of Western Australia, Australia; PM Dight, Australian Centre for Geomechanics, The University of Western Australia, Australia; K Mercer, 3rd Rock Consulting, Australia*
- 703**     **Geotechnical data aggregation and visualisation supporting informed risk management: the one-stop geotech shop**  
*SDN Wessels, R Dixon, Rio Tinto Iron Ore, Australia*

## **Assessment and implications for uncertainty in design**

- 715**     **3D limit equilibrium method for rock slope stability analysis using generalised anisotropic material model**  
*NS Kumar, Universiti Sains Malaysia, Malaysia & Centre of Excellence for Engineering and Technology (CREaTE) JKR, Malaysia; MAM Ismail, Universiti Sains Malaysia, Malaysia*
- 731**     **An overview of bench design for cut slopes with an example of an advanced dataset assessment technique**  
*S Coetsee, Reutech Mining, South Africa*
- 749**     **Toe rock mass strength in footwall failures**  
*A Duran, PSM, Australia; D Cardona Lopez, Prodeco, Colombia*

- 763**      **Increasing the reliability of mining plans by predicting geotechnical instabilities with structural control: case study at a BHP mine, northern Chile**  
*C Roa, J Calderón, Minera Escondida, Chile; R Castellón, M Vargas, TIMining, Chile*
- 771**      **Tuff bands and the stability of coal mine slopes**  
*K Koosmen, PSM, Australia*
- 791**      **Epistemic uncertainty propagation in slope stability analysis and implications in safety margins**  
*CE Valderrama, M Cofré, E Hormazábal, R Álvarez, SRK Consulting (Chile) S.A., Chile*
- 805**      **Proceedings authors index**