

Table of Contents

iii	Australian Centre for Geomechanics
v	Committees
vii	Technical Reviewers
xi	Preface
xiii	Symposium Sponsors

Numerical analysis, in situ stress and displacement design of slopes

- 813** **A new approach to simulate the dynamic response of high-tensile chain-link drapery systems**
S Tahmasbi, A Giacomini, University of Newcastle, Australia; R Bucher, Geobrugg Australia Pty Ltd, Australia; O Buzzi, University of Newcastle, Australia
- 823** **Application of a hybrid approach to the design of anchored wire meshes on steep slopes**
A Galli, Politecnico di Milano, Italy; M Deana, Officine Maccaferri SpA, Italy; N Mazzon, Maccaferri Innovation Center, Italy
- 831** **Steep wall mining: engineered structures used in the management of rockfall hazards at Kanmantoo copper mine**
BJ Hutchison, Hillgrove Resources Ltd, Australia; AT Morrison, Geobrugg Australia Pty Ltd, Australia; DS Lucas, Mining One Pty Ltd, Australia
- 849** **A case study: assessing the impacts of open cut coal mining on the Maryvale Field (Yallourn) Open Cut and Morwell River Diversion through the use of finite element modelling**
S Narendranathan, J Stipceвич, GHD Pty Ltd, Australia; S Rastogi, EnergyAustralia Pty Ltd, Australia
- 863** **Modelled versus observed open cut performance in weak transition rock: the Dubbo Quarry case study**
D Trani, GHD Pty Ltd and University of Wollongong, Australia; J Hellmuth, J Thompson, GHD Pty Ltd, Australia
- 873** **Case study: back-analysis of a historical open pit highwall failure at a coal mine in Canada**
C Clayton, R Barnett, Tetra Tech Canada Inc., Canada; M Slater, Teck Resources Limited, Canada
- 889** **Slope performance monitoring and management of a pit wall experiencing large-scale deformations near Kalgoorlie, Western Australia**
JW Watton, MJ Fowler, PSM, Australia
- 901** **Hoek–Brown rock mass: adjusting Geological Strength Index for directional strength**
NRP Baczynski, Prime Geotechnics Pty Ltd, Australia

- 913 Use of discrete fracture networks in 3D numerical modelling for stability analysis in open pits**
E Montiel, P Varona, Geocontrol Minería, Chile; C Fernandez, Z Espinoza, Antofagasta Minerals, Chile
- 927 Engineering geology investigation and numerical modelling design of the Ramp 12 highwall**
B Roache, Mining One Consultants Pty Ltd, Australia; AR Johnstone, BHP, Australia
- 937 Numerical back-analysis of highwall instability in an open pit: a case study**
JM Kabuya, R Simon, École Polytechnique de Montréal, Canada; J Carvalho, D Haviland, Golder, Canada
- 953 Validation of the improved unified constitutive model for open pit applications**
A Ford, DS Lucas, A Vakili, Mining One Pty Ltd, Australia
- 969 Quantifying excavation-induced rock mass damage in large open pits**
L Lorig, D Potyondy, Varun, Itasca Consulting Group, Inc., USA
- 983 Understanding the sensitivity of numerical slope stability analyses to geotechnical and other input parameters**
DR Wines, Itasca Australia Pty Ltd, Australia
- 1003 Automated geolocalised identification of polyhedral blocks and their safety factor calculation in open pit mining**
F González, A Calderón, Antofagasta Minerals, Chile; R Castellón, M Vargas, C Mena, L Orellana, S Wiche, C Calderón, TIMining, Chile
- 1017 Discrete fracture network based approaches to assessing inter-ramp design**
M Valerio, S Rogers, Golder, Canada; KP Lawrence, KM Moffitt, Golder, USA; B Rysdahl, M Gaida, Rio Tinto Kennecott, USA
- 1031 Numerical modelling of underground and open pit interaction in a gold mine**
K He, G Swarbrick, TD Sullivan, PSM, Australia
- 1047 SlopeX: a plug-in to simplify and fast-track advanced numerical modelling for open pit applications**
A Vakili, Cavroc Pty Ltd, Australia; J Watson, Cavroc Pty Ltd, Canada; B Abedian, Cavroc Pty Ltd, Australia; T Styles, Cavroc Pty Ltd, UK
- 1059 Back-analysis of in-pit dump slope failure and remediation results at Bara Anugrah Sejahtera open pit coal mine, Indonesia**
L Rachmad, D Aryanda, GEOMINE Mining and Geotechnical Consultant, Indonesia; M Daroji, Titan Group, Indonesia
- 1069 Reinforced soil bund as passive protection structures: the New Zealand experience**
E Ewe, Geofabrics New Zealand Ltd, New Zealand

- 1083** **Three-dimensional numerical modelling for successful design of steep slopes at the Kanmantoo copper mine**
DS Lucas, A Vakili, Mining One Pty Ltd, Australia; BJ Hutchison, Hillgrove Resources Limited, Australia

Open pit/underground interaction

- 1099** **Computational tools for the estimation of Factor of Safety and location of the critical failure surface for slopes in rock masses that satisfy the Hoek–Brown failure criterion**
C Carranza-Torres, University of Minnesota, USA; E Hormazábal, SRK Consulting (Chile) S.A., Chile
- 1123** **Considerations for open pit to underground transition interaction**
ECF Hamman, M Cowan, J Venter, JB de Souza, AngloGold Ashanti Ltd, Australia

Rockfall analysis and control

- 1141** **Calibration of a rockfall simulator with a fragmentation model in a real-scale test**
G Matas, N Lantada, J Corominas, R Ruiz-Carulla, A Prades, J Gili, Universitat Politècnica de Catalunya, Spain
- 1149** **Runout of open pit slope failures: an update**
J Whittall, BGC Engineering Inc., Canada; A Mitchell, S McDougall, The University of British Columbia, Canada
- 1163** **A practical rockfall risk model for open pit mines using the time–space concept**
J Venter, ECF Hamman, AngloGold Ashanti Ltd, Australia
- 1173** **Analysis of the effect of back-break on rockfall trajectories**
I García, SRK Consulting (UK) Limited, UK; S Pastine, SRK Consulting (Argentina) S.A., Argentina
- 1183** **A new radar-based system for detecting and tracking rockfall in open pit mines**
A Michelini, F Viviani, M Bianchetti, N Coli, L Leoni, IDS GeoRadar s.r.l., Italy; CJ Stopka, IDS GeoRadar, USA
- 1193** **On the use of acoustic records for the automatic detection and early warning of rockfalls**
G Ulivieri, S Vezzosi, GeCo S.r.l., Italy; P Farina, Geoapp S.r.l., Italy; L Meier, Geopraevent AG, Switzerland
- 1203** **Scaling the heights: the background and development of a novel remote highwall scaling machine for use at the Savage River Mine**
MS Anderson, Grange Resources Ltd, Australia; C Johnson, Jayben Group, Australia
- 1213** **Recovery of blue water ramp access affected by rockfall**
D Diaz, Anglo American Cooper, Chile; E Bermedo, M Schellman, Anglo American T&S, Chile

- 1227 Risk analysis of impacting people and/or equipment due to rockfall**
E Bermedo, M Schellman, Anglo American T&S, Chile; D Diaz, Anglo American Copper, Chile

Surface water and groundwater management, depressurisation, monitoring and remediation

- 1237 Between a rock and a hard place**
PJ Lombard, GHD Pty Ltd, Australia
- 1253 Development of a mine dewatering and pit slope depressurisation review process**
E Reano, Piteau Associates Peru S.A.C., Peru; G Beale, Piteau Associates UK Ltd, UK; J Dowling, Piteau Associates, USA; LC Tejada, M Lacey, H Hazwezwe, Freeport-McMoRan Inc., USA
- 1267 Development of an integrated workflow for pit slope pore pressure reconciliation**
J Dowling, G Beale, P Haas, B Kaya, S Mak, Piteau Associates, USA; LC Tejada, K Kramer, J Johnson, RE Zea, C Palmer, Freeport-McMoRan, USA
- 1281 Simulating fracture network permeability in brown-coal slopes**
R Hu, SDC Walsh, Monash University, Australia; J Missen, N Anderson, AGL Loy Yang Pty Ltd, Australia
- 1291 Anglo American framework for strategic dewatering plans**
C Cintolesi, Anglo American, Chile; G Beale, Piteau Associates UK Ltd, UK; J Dowling, Piteau Associates, USA; J Kotze, Anglo American South Africa Ltd, South Africa; A Rowland, Piteau Associates South Africa, South Africa; S Mansell, Piteau Associates Chile Spa, Chile
- 1305 A methodology for assessing rainfall-induced pore pressure changes in open pit slopes**
J Bellin, M Raynor, R Kettle, SRK Consulting (UK) Ltd, UK; K Tasoren, IAMGOLD, Suriname
- 1319 Outcomes of an aquifer assessment on the M1B aquifer ahead of Loy Yang Mine and considerations for future dewatering/depressurisation**
R Turnbull, G Foley, GHD Pty Ltd, Australia; J Missen, AGL Loy Yang Pty Ltd, Australia
- 1329 Pit dewatering optimisation of a 3D FEFLOW unstructured groundwater model at geologically complex Antamina mine site in Peru**
RM Dufour, DHI Peru SAC and UNINE, Peru; C Aguirre, M Sanchez, Antamina, Peru; A Maqueda, Université de Neuchâtel, Switzerland; JM Zwinger, A Renz, DHI WASY GmbH, Germany; J Cho, Independent Consultant, Canada; D Evans, FloSolutions, Peru
- 1349 Three-dimensional slope stability modelling and its interoperability with interferometric radar data to improve geotechnical design**
A McQuillan, Rocscience Inc., Australia; T Yacoub, Rocscience Inc., Canada; N Bar, Gecko Geotechnics Pty Ltd, Australia; N Coli, L Leoni, IDS Georadar, Italy; S Rea, J Bu, Newcrest Mining Limited, Papua New Guinea

- 1359** **Cockatoo Island: pit dewatering and wall depressurisation behind critical seawall infrastructure**
CL Powell, Newmont Australia, Australia; J Hall, AQ2 Pty Ltd, Australia
- 1373** **Elimination of structure controlled highwall failures at an open cut coal mine**
J Li, BHP, Australia
- 1383** **Advanced three-dimensional geomechanical and hydrogeological modelling for a deep open pit**
L Cotesta, Vale, Canada (formerly Itasca Consulting Canada, Inc.); J Xiang, Itasca Denver Inc., USA; B Paudel, Vale, Canada (formerly Itasca Consulting Canada, Inc.); R Sterrett, Itasca Denver Inc., USA; J Sjöberg, Itasca Consultants AB, Sweden; T Dilov, I Vasilev, Z Yalamov, Ellatzite-Med AD, Bulgaria

Slope design implementation, excavation control, blasting and legacy issues for final walls; quality control

- 1401** **New approach to detect imminent slope failure by utilising coherence attribute measurement on ground-based slope radar**
FA Cahyo, R Dwitya, RH Musa, GroundProbe, Indonesia
- 1413** **The safest way to increase overall pitwall slope**
SP Durkin, BT Moore, Safescape, Australia
- 1425** **Development of an early warning system for shallow landslide hazard in the Grasberg area, Indonesia**
P Farina, Geoapp S.r.l., Italy; F Catani, A Rosi, Geoapp S.r.l. and Università degli Studi di Firenze, Italy; I Setiawan, A Junaidi, K Afrizal, A Wijayanto, PT Freeport Indonesia, Indonesia
- 1439** **Integrating unmanned aerial vehicle photogrammetry in design compliance audits and structural modelling of pit walls**
F Medinac, K Esmaili, University of Toronto, Canada
- 1455** **Utilising satellite-based techniques to identify and monitor slope instabilities: the Fagraskógarfjall and Limnes landslides**
H Larkin, N Magnall, A Thomas, R Holley, H McCormack, CGG Satellite Mapping, UK
- 1467** **Pit wall optimisation and effective wall management strategies at Invincible Open Pit, St Ives Gold Mines**
M Abdulai, PG Andrews, D McMahon, E Bona, J Walker, Gold Fields Australia Pty Ltd, Australia
- 1483** **Optimisation of crest blasting and excavation techniques for controlling spillover at Bingham Canyon Mine**
J Morkeh, J Cefalo, K Robertson, Rio Tinto Kennecott Copper, USA
- 1495** **Monitoring of structurally controlled deformations at the Kanmantoo copper mine**
BJ Hutchison, Hillgrove Resources Limited, Australia; J Chambers, Maptek Pty Ltd, Australia

- 1507 Addressing pit wall instabilities in Africa's largest open pit copper mine**
GC More O'Ferrall, First Quantum Minerals Ltd, Zambia; NS Simbile, Kansanshi Mining Plc, Zambia
- 1521 New satellite sensors for monitoring mining areas: a look at the future**
J Morgan, A Boudreau, TRE ALTAMIRA Inc., Canada; MA Verdugo, TRE ALTAMIRA S.L., Spain; F Meloni, D Colombo, TRE ALTAMIRA s.r.l., Italy
- 1531 Exploitation of InSAR techniques as a support of in situ sensors to improve safety and productivity in mining operations**
J Duro, R Iglesias, D Monells, R Calvo, DARES TECHNOLOGY, Spain
- 1547 Evaluation and management of toppling failures at the McArthur River Mine, Northern Territory**
CEV Heaven, DBM Bran, WA Norrie, Glencore, Australia
- 1563 Monitoring applications for safe mining practices: case studies of sub-bench scale failures in hard rock and coal open cut mines**
S Gale, L Farrington, Thiess, Australia; P Bergström, Boliden, Finland; M Suikkanen, YARA, Finland; N Boldrini, M Rubino, N Coli, IDS GeoRadar, Italy; S Naude, IDS Georadar, Australia; CJ Stopka, C Preston, IDS GeoRadar, USA
- 1577 Proceedings authors index**