

CONTENTS

| | |
|------------------------|-----|
| PREFACE..... | I |
| Acknowledgement..... | iii |
| Editors..... | iii |
| FOREWORD..... | v |
| INDUSTRY SPONSORS..... | vii |

1

| | |
|--|---|
| Introduction | 3 |
| 1.1 OBJECTIVES OF THE GUIDE..... | 3 |
| 1.2 BACKGROUND..... | 3 |
| 1.3 THE CURRENT SITUATION..... | 3 |
| 1.3.1 Practical limitations..... | 4 |
| 1.3.2 The ultimate objective..... | 5 |
| 1.4 THE DRIVERS..... | 6 |
| 1.5 CLOSURE..... | 6 |
| 1.6 CLASSIFICATION AND THE TAILINGS CONTINUUM..... | 7 |
| 1.7 ABOUT THE GUIDE..... | 7 |
| AUTHOR DETAILS..... | 8 |

2

| | |
|--|----|
| The Tailings Continuum: Defining The Boundaries | 11 |
| 2.1 PREAMBLE..... | 11 |
| 2.2 THE TAILINGS CONTINUUM..... | 11 |
| 2.3 THE CURRENT SITUATION..... | 12 |
| 2.3.1 Conventional tailings slurry..... | 13 |
| 2.3.2 Thickened tailings slurry..... | 13 |
| 2.3.3 Paste..... | 14 |
| 2.3.4 Cake..... | 15 |
| 2.4 CLASSIFICATION SYSTEM – BOUNDARIES..... | 15 |
| 2.4.1 Segregation threshold..... | 16 |
| 2.4.2 Initial settled density..... | 16 |
| 2.4.3 Liquid limit..... | 16 |

| | | |
|-----|-----------------------------|----|
| 2.5 | TRANSPORT OF TAILINGS | 16 |
| 2.6 | TERMINOLOGY CONVENTION..... | 17 |
| | AUTHOR DETAILS..... | 17 |

3

| | | |
|-----------------------------|--|-----------|
| Rheological Concepts | | 21 |
| 3.1 | PREAMBLE..... | 21 |
| 3.2 | INTRODUCTION | 21 |
| 3.3 | RHEOLOGICAL ASPECTS OF PASTE AND THICKENED TAILINGS SYSTEM DESIGN | 22 |
| 3.3.1 | Relevance of rheology to the overall system design..... | 22 |
| 3.3.2 | Test sample preparation..... | 25 |
| 3.4 | IMPORTANT RHEOLOGICAL CONCEPTS | 26 |
| 3.5 | MEASUREMENT OF RHEOLOGICAL PROPERTIES..... | 27 |
| 3.5.1 | The vane method | 28 |
| 3.5.2 | The slump method | 28 |
| 3.5.3 | Shear stress–shear rate measurements..... | 30 |
| 3.5.4 | The bucket rheometer..... | 31 |
| 3.6 | VARIABLES AFFECTING THE RHEOLOGY OF FINE PARTICLE TAILINGS | 32 |
| 3.6.1 | Particle concentration | 32 |
| 3.6.2 | Particle size and particle-size distribution | 34 |
| 3.6.3 | Particle shape..... | 36 |
| 3.6.4 | Shear rate and shear history | 36 |
| 3.6.5 | Clays | 37 |
| 3.6.6 | Water chemistry — pH and ionic strength | 38 |
| 3.6.7 | Flocculation..... | 38 |
| 3.7 | THICKENING AND COMPRESSION RHEOLOGY | 40 |
| 3.8 | CONCLUSION..... | 43 |
| | ACKNOWLEDGEMENT | 43 |
| | AUTHOR DETAILS..... | 43 |

4

| | | |
|----------------------------------|---------------------------------|-----------|
| Material Characterisation | | 47 |
| 4.1 | PREAMBLE..... | 47 |
| 4.2 | PREPARATION..... | 47 |
| 4.2.1 | Particle-size distribution..... | 48 |

| | | |
|------------|---|-----------|
| 4.2.2 | Specific gravity (also known as particle relative density)..... | 48 |
| 4.2.3 | pH..... | 48 |
| 4.2.4 | Mineralogy..... | 50 |
| 4.3 | POST-TREATMENT..... | 51 |
| 4.3.1 | Transport..... | 51 |
| 4.3.2 | Deposition..... | 53 |
| 4.3.2.1 | <i>Beaching</i> | 53 |
| 4.3.2.2 | <i>Settling and air drying</i> | 53 |
| 4.3.2.3 | <i>Consolidation</i> | 55 |
| 4.3.2.4 | <i>Water retention ability</i> | 55 |
| 4.3.3 | Stability..... | 56 |
| 4.3.3.1 | <i>Shear strength</i> | 56 |
| 4.3.3.2 | <i>Liquefaction</i> | 57 |
| 4.3.3.3 | <i>Post-liquefaction strength</i> | 58 |
| 4.3.4 | Geochemistry..... | 58 |
| 4.3.4.1 | <i>Acid-base accounting</i> | 58 |
| 4.3.5 | Erodibility..... | 59 |
| 4.3.6 | Dust generation..... | 60 |
| 4.4 | CONCLUSION..... | 60 |
| | ACKNOWLEDGEMENT..... | 61 |
| | AUTHOR DETAILS..... | 61 |

5

| | |
|---|-----------|
| Slurry Chemistry | 65 |
| 5.1 PREAMBLE..... | 65 |
| 5.2 DISPERSED STATE COLLOIDAL SYSTEMS | 65 |
| 5.2.1 Hydrophobic colloid theory..... | 66 |
| 5.2.1.1 <i>Surface charge potential</i> | 67 |
| 5.2.1.2 <i>Diffuse layer thickness</i> | 67 |
| 5.2.2 Hydrophobic colloid particle interaction..... | 67 |
| 5.3 CLAY MINERAL PROPERTIES..... | 68 |
| 5.3.1 Clay classification and crystal structure..... | 68 |
| 5.3.2 Clay particle surface charge..... | 69 |
| 5.4 CLAY SLURRY BEHAVIOUR | 70 |
| 5.4.1 Suspended clay cation exchanged state..... | 71 |
| 5.4.2 Suspension pH..... | 71 |
| 5.4.3 Suspension ionic concentration..... | 72 |
| 5.5 CLAY SLURRY CONDITIONING AND FLOCCULATION..... | 72 |

| | | |
|------------|---|----|
| 5.6 | SLURRY MEASUREMENTS | 73 |
| 5.6.1 | Colour..... | 73 |
| 5.6.2 | Composition and mineralogy | 73 |
| 5.6.3 | Conductivity | 73 |
| 5.6.4 | Density | 74 |
| 5.6.5 | Particle size, shape and surface area | 75 |
| 5.6.6 | pH..... | 77 |
| 5.6.7 | Reduction potential (redox)..... | 77 |
| 5.6.8 | Rheology | 77 |
| 5.6.9 | Solids concentration | 78 |
| 5.6.10 | Suspended solids..... | 79 |
| 5.6.11 | Surface charge | 80 |
| 5.6.12 | Total dissolved solids | 80 |
| 5.6.13 | Turbidity (clarity) | 80 |
| | AUTHOR DETAILS | 81 |

6

| | | |
|-----------------|---|----|
| Reagents | | 87 |
| 6.1 | PREAMBLE | 87 |
| 6.2 | FLOCCULANTS, COAGULANTS AND DISPERSANTS | 87 |
| 6.2.1 | Flocculation versus coagulation..... | 87 |
| 6.2.2 | Dispersion | 87 |
| 6.3 | REAGENT CHEMISTRIES | 88 |
| 6.3.1 | Coagulants | 88 |
| | 6.3.1.1 <i>Inorganic</i> | 88 |
| | 6.3.1.2 <i>Synthetic</i> | 89 |
| 6.3.2 | Dispersants | 89 |
| | 6.3.2.1 <i>Inorganic</i> | 89 |
| | 6.3.2.2 <i>Polymer</i> | 89 |
| 6.3.3 | Flocculants..... | 89 |
| | 6.3.3.1 <i>Natural</i> | 89 |
| | 6.3.3.2 <i>Synthetic</i> | 90 |
| | 6.3.3.3 <i>The evolution of synthetic flocculants</i> | 90 |
| 6.4 | BRIDGING TYPE POLYMERS | 90 |
| 6.4.1 | Particle bridging | 90 |
| 6.4.2 | Flocculant adsorption | 91 |
| | 6.4.2.1 <i>Adsorption of nonionic flocculants</i> | 91 |
| | 6.4.2.2 <i>Adsorption of anionic flocculants</i> | 92 |

| | | | |
|-------------|---------|--|------------|
| | 6.4.2.3 | <i>Adsorption of cationic flocculants</i> | 93 |
| 6.5 | | POLYMER CHAINS IN SOLUTION | 93 |
| | 6.5.1 | Solution state and dimensions..... | 93 |
| | 6.5.2 | The solution properties of flocculants..... | 94 |
| 6.6 | | PHYSICAL FORMS OF POLYMER PRODUCTS | 94 |
| | 6.6.1 | Solid phase | 94 |
| | 6.6.2 | Emulsion..... | 94 |
| | 6.6.3 | Dispersion | 95 |
| | 6.6.4 | Blocks | 95 |
| | 6.6.5 | Solution | 95 |
| 6.7 | | THEORY OF FLOCCULATION AND COAGULATION | 95 |
| | 6.7.1 | Aggregation kinetics..... | 95 |
| | | 6.7.1.1 <i>Aggregate porosity</i> | 95 |
| | | 6.7.1.2 <i>Aggregate growth</i> | 96 |
| | | 6.7.1.3 <i>The impact of solids concentration</i> | 96 |
| | 6.7.2 | Factors that affect particles in suspension | 96 |
| | | 6.7.2.1 <i>Nature and size of the solids present</i> | 97 |
| | | 6.7.2.2 <i>Solids concentration</i> | 97 |
| | | 6.7.2.3 <i>Surface charge and slurry pH</i> | 97 |
| | | 6.7.2.4 <i>Type and quantity of dissolved ions present</i> | 98 |
| 6.8 | | FACTORS AFFECTING POLYMER ACTIVITY | 98 |
| | 6.8.1 | Product life | 98 |
| | 6.8.2 | Solution make-up..... | 98 |
| | 6.8.3 | Flocculant transport | 100 |
| | 6.8.4 | Water quality | 100 |
| | 6.8.5 | Make-up equipment materials | 101 |
| 6.9 | | FACTORS AFFECTING POLYMER APPLICATION | 101 |
| | 6.9.1 | Reagent choice | 101 |
| | | 6.9.1.1 <i>Flocculants</i> | 101 |
| | | 6.9.1.2 <i>Coagulants</i> | 102 |
| | 6.9.2 | Reagent dilution | 102 |
| | 6.9.3 | Reagent dosage..... | 102 |
| | 6.9.4 | Dosing/addition conditions | 103 |
| | | 6.9.4.1 <i>Dosing points</i> | 103 |
| | | 6.9.4.2 <i>Shear conditions</i> | 104 |
| | 6.9.5 | Control..... | 104 |
| 6.10 | | INLINE POLYMER ADDITION | 104 |
| 6.11 | | REAGENT TESTING | 106 |
| 6.12 | | THE FUTURE OF REAGENTS | 107 |
| | | AUTHOR DETAILS | 108 |

7

| | |
|---|-----|
| Thickening | 113 |
| 7.1 PREAMBLE | 113 |
| 7.2 DEVELOPMENT OF THICKENING | 113 |
| 7.2.1 Thickeners | 113 |
| 7.2.2 Filters | 114 |
| 7.3 SCIENCE OF THICKENING | 114 |
| 7.3.1 Thickening theory | 114 |
| 7.3.2 Thickening phases | 114 |
| 7.3.3 Factors affecting the thickening process | 114 |
| 7.3.4 Use of flocculants and coagulants in thickening | 114 |
| 7.3.5 Unit area sizing | 114 |
| 7.3.6 Rise rate sizing | 115 |
| 7.3.7 Compression zone sizing | 115 |
| 7.3.8 Sizing of rakeless high-rate thickeners | 115 |
| 7.3.9 Sizing of paste thickeners | 115 |
| 7.3.10 Underflow solids concentration and rheology | 115 |
| 7.3.10.1 <i>Predicting underflow concentrations and rheology for paste thickeners</i> | 115 |
| 7.3.10.2 <i>Factors that affect underflow rheology and predicted solids</i> | 115 |
| 7.3.11 Thickener sizing conclusions | 116 |
| 7.4 THICKENING EQUIPMENT TYPES | 116 |
| 7.4.1 Elevated tanks | 116 |
| 7.4.2 Bridge-mounted | 116 |
| 7.4.3 Column-mounted | 117 |
| 7.4.4 Caisson design | 118 |
| 7.5 THICKENER RAKES | 118 |
| 7.5.1 Single pipe rake arm | 118 |
| 7.5.2 Box truss rake arm | 119 |
| 7.5.3 Swing lift arm | 120 |
| 7.5.4 Thickening or dewatering pickets | 120 |
| 7.6 THICKENER DRIVE TYPES | 120 |
| 7.6.1 Centre drives | 121 |
| 7.6.2 Peripheral drives | 121 |
| 7.7 THICKENER DESIGN TYPES | 121 |
| 7.7.1 Conventional thickener | 121 |
| 7.7.2 High-rate thickener | 122 |

| | | |
|---------|---|-----|
| 7.7.2.1 | <i>Feedwell design</i> | 123 |
| 7.7.2.2 | <i>Dilution systems</i> | 123 |
| 7.7.3 | High-rate (rakeless) thickener | 127 |
| 7.7.4 | High-density (paste) thickener | 127 |
| 7.8 | THICKENER CONTROLS | 131 |
| 7.8.1 | Conventional thickener controls..... | 132 |
| 7.8.2 | High-rate (rakeless) thickeners..... | 132 |
| 7.8.3 | Paste thickeners..... | 132 |
| 7.9 | COMBINATION: THICKENERS AND FILTERS | 132 |
| 7.10 | TRANSPORTATION CONSIDERATIONS | 132 |
| 7.11 | THE SYSTEMATIC DESIGN APPROACH TO PASTE THICKENING | 133 |
| 7.12 | CONCLUSION AND COMMENTS ON PASTE AND THICKENERS | 134 |
| | ACKNOWLEDGEMENT | 135 |
| | AUTHOR DETAILS | 136 |

8

| | | |
|-------|--|-----|
| | Filtered Tailings | 143 |
| 8.1 | PREAMBLE | 143 |
| 8.2 | INTRODUCTION | 143 |
| 8.3 | HISTORY | 144 |
| 8.4 | FILTRATION BACKGROUND | 144 |
| 8.4.1 | Introduction | 144 |
| 8.4.2 | Cost of solid–liquid separation..... | 144 |
| 8.4.3 | Filtration methods | 144 |
| 8.4.4 | Filtration dewatering continuum..... | 145 |
| 8.4.5 | Filtration design considerations | 145 |
| 8.4.6 | Filtration theory | 146 |
| | 8.4.6.1 <i>Flow through porous media</i> | 146 |
| | 8.4.6.2 <i>The filtration cycle</i> | 146 |
| 8.5 | FILTRATION TEST-WORK | 147 |
| 8.5.1 | Introduction | 147 |
| 8.5.2 | Slurry characterisation and technology pre-selection | 147 |
| | 8.5.2.1 <i>Slurry characterisation</i> | 147 |
| | 8.5.2.2 <i>Test-work strategies</i> | 147 |
| | 8.5.2.3 <i>Experience</i> | 148 |
| 8.5.3 | Laboratory and pilot test-work..... | 148 |
| | 8.5.3.1 <i>Vacuum filtration test equipment</i> | 148 |

| | | |
|------------|---|------------|
| 8.5.3.2 | <i>Pressure filtration test equipment</i> | 149 |
| 8.5.3.3 | <i>Data collection</i> | 150 |
| 8.5.3.4 | <i>Slurry properties</i> | 150 |
| 8.5.3.5 | <i>Cake properties</i> | 150 |
| 8.5.3.6 | <i>Time-dependent variables</i> | 150 |
| 8.5.3.7 | <i>Sample preparation, cake and filtrate analysis</i> | 150 |
| 8.5.3.8 | <i>Safety</i> | 150 |
| 8.6 | FILTRATION EQUIPMENT | 150 |
| 8.6.1 | Introduction | 150 |
| 8.6.2 | Vacuum filters | 150 |
| 8.6.2.1 | <i>Horizontal belt filter</i> | 151 |
| 8.6.2.2 | <i>Horizontal pan filters</i> | 151 |
| 8.6.3 | Pressure filters | 151 |
| 8.6.4 | Dewatering screens | 153 |
| 8.6.5 | Capillary action filtration | 153 |
| 8.6.6 | Hyperbaric filtration | 154 |
| 8.6.7 | Filtration equipment comparison | 154 |
| 8.7 | FILTRATION COSTS | 154 |
| 8.7.1 | Introduction | 154 |
| 8.7.2 | Flow sheeting considerations | 154 |
| 8.7.2.1 | <i>Traditional dewatering flow sheet</i> | 154 |
| 8.7.2.2 | <i>Split dewatering flow sheet</i> | 155 |
| 8.7.3 | Cost example | 155 |
| 8.7.3.1 | <i>Capital costs</i> | 155 |
| 8.7.3.2 | <i>Operating costs</i> | 157 |
| 8.8 | CONCLUSION | 157 |
| | AUTHOR DETAILS | 157 |

9

| | |
|----------------------------------|------------|
| Thickening Plant Concepts | 161 |
| 9.1 PREAMBLE | 161 |
| 9.2 HYDROCYCLONES | 161 |
| 9.3 VIBRATORY SCREENING | 164 |
| AUTHOR DETAILS | 166 |

| | |
|---|-----|
| High-Concentration Hydraulic Transport Systems | 171 |
| 10.1 PREAMBLE..... | 171 |
| 10.2 SLURRY PIPELINE FLOW BEHAVIOUR | 171 |
| 10.2.1 Heterogeneous slurries | 171 |
| 10.2.2 Homogeneous non-Newtonian slurries..... | 171 |
| 10.2.3 Dense phase mixtures..... | 171 |
| 10.2.4 Mixed-regime slurries..... | 171 |
| 10.2.5 Minimum transport velocity..... | 172 |
| 10.3 PUMP TYPES | 174 |
| 10.3.1 Centrifugal pumps..... | 174 |
| 10.3.1.1 <i>Effect of solids on pump performance in thickened tailings applications</i> | 174 |
| 10.3.1.2 <i>Effect of wear on pump performance</i> | 175 |
| 10.3.1.3 <i>Limiting centrifugal pump wear</i> | 175 |
| 10.3.2 Positive displacement pumps | 177 |
| 10.3.2.1 <i>Rotary pumps</i> | 177 |
| 10.3.2.2 <i>Reciprocating pumps</i> | 177 |
| 10.3.2.3 <i>Piston diaphragm pumps</i> | 177 |
| 10.3.2.4 <i>Valves in reciprocating pumps</i> | 178 |
| 10.3.2.5 <i>Suction requirements</i> | 178 |
| 10.3.2.6 <i>Operating characteristics of positive displacement pumps</i> | 178 |
| 10.3.3 Comparison between centrifugal and positive displacement pumps..... | 178 |
| 10.4 ALTERNATIVE TRANSPORT OPTIONS | 178 |
| 10.4.1 Conveying options | 178 |
| 10.4.2 Trucking options..... | 179 |
| 10.5 DESIGN OF HIGH-CONCENTRATION SLURRY PIPELINE SYSTEMS | 180 |
| 10.5.1 Slurry flow modelling of thickened and paste tailings..... | 180 |
| 10.5.2 Pump and pipeline interaction | 182 |
| 10.5.2.1 <i>Centrifugal pumps</i> | 182 |
| 10.5.2.2 <i>Positive displacement pumps</i> | 182 |
| 10.5.3 Hydraulic grade line | 184 |
| 10.5.4 Pipeline mechanical design..... | 185 |
| 10.6 ECONOMIC EVALUATION OF THICKENED TAILINGS PUMPING SYSTEMS..... | 186 |
| 10.6.1 Capital costs: centrifugal versus positive displacement pumps..... | 186 |
| 10.6.1.1 <i>Pressure</i> | 186 |
| 10.6.1.2 <i>Standby requirements</i> | 186 |

| | | |
|----------|--|-----|
| 10.6.1.3 | Motor requirements | 186 |
| 10.6.1.4 | Process considerations..... | 186 |
| 10.6.2 | Capital costs: pipeline considerations | 186 |
| 10.6.2.1 | Pressure considerations..... | 186 |
| 10.6.2.2 | Pipe jointing..... | 187 |
| 10.6.3 | Capital costs: other considerations | 187 |
| 10.6.4 | Annual operating costs | 188 |
| 10.6.4.1 | Annual costs: power and water | 188 |
| 10.6.4.2 | Annual costs: maintenance..... | 189 |
| 10.6.4.3 | Annual costs: personnel | 189 |
| 10.6.4.4 | Annual costs: preparation | 189 |
| 10.6.5 | Financial comparison | 189 |
| 10.7 | CONCLUSIONS | 189 |
| | ACKNOWLEDGEMENT | 189 |
| | AUTHOR DETAILS..... | 190 |

11

| | | |
|-----------|--|------------|
| 11 | Above Ground Disposal | 195 |
| 11.1 | PREAMBLE..... | 195 |
| 11.2 | INTRODUCTION | 195 |
| 11.3 | TECHNIQUES FOR MANAGING SURFACE DEPOSITION OF THICKENED TAILINGS | 196 |
| 11.3.1 | Central thickened discharge | 196 |
| 11.3.2 | Down-valley discharge (DVD)..... | 197 |
| 11.3.3 | Ring-dyke impoundment..... | 198 |
| 11.3.4 | In-pit disposal..... | 198 |
| 11.4 | PERCEIVED AND REALISED BENEFITS | 199 |
| 11.4.1 | Reduced water usage | 199 |
| 11.4.2 | Similar capital and reduced operating cost to wet disposal..... | 200 |
| 11.4.3 | Increased deposit strength | 201 |
| 11.4.4 | Decreased land footprint by at least doubling practical stacking height..... | 202 |
| 11.4.5 | Decreased demand for borrow materials for construction | 204 |
| 11.4.6 | Reduced risk of leachate seepage..... | 204 |
| 11.4.7 | Reduction or elimination of ponding and low strength mud deposits..... | 204 |
| 11.4.8 | Prompt creation of firm, concave draining surface at completion | 205 |
| 11.4.9 | Earlier, better surface leaching and drainage..... | 205 |

| | | |
|-------------|---|------------|
| 11.4.10 | Reduced potential for liquefaction | 206 |
| 11.4.11 | Potentially reduced heating requirements, lower water demand..... | 206 |
| 11.4.12 | Reduced reagent requirements..... | 206 |
| 11.4.13 | Other key issues..... | 206 |
| 11.5 | DESIGN CONSIDERATIONS | 206 |
| 11.5.1 | Shape, layout and geometry | 206 |
| 11.5.2 | Profiles of thickened tailings storage facilities | 207 |
| 11.5.3 | Ensuring geotechnical stability | 208 |
| 11.5.4 | Water management..... | 209 |
| 11.5.5 | Strength and density..... | 210 |
| 11.5.6 | Drying and consolidation | 210 |
| 11.5.7 | Liquefaction potential..... | 212 |
| 11.6 | OPERATIONS AND MANAGEMENT | 212 |
| 11.6.1 | Facility operation and maintenance | 212 |
| 11.6.2 | Risk management | 212 |
| 11.6.3 | Environmental..... | 213 |
| | 11.6.3.1 Seepage..... | 213 |
| | 11.6.3.2 Wind erosion and dust generation | 213 |
| | 11.6.3.3 Water erosion | 214 |
| 11.6.4 | Closure considerations | 214 |
| 11.7 | OPERATIONAL INTERVENTIONS TO IMPROVE PERFORMANCE | 215 |
| 11.7.1 | Controlling and directing flow from CTD risers..... | 215 |
| 11.7.2 | Enhancing the rate of gain on surface shear strength – the concept of mud farming..... | 215 |
| 11.8 | CONCLUSION..... | 216 |
| | AUTHOR DETAILS..... | 216 |

12

| | |
|--|------------|
| Beach Slope Prediction Approaches | 219 |
| 12.1 PREAMBLE..... | 219 |
| 12.2 BEACH SLOPE PREDICTION MODELS | 219 |
| 12.2.1 Lubrication theory | 219 |
| 12.2.2 Equilibrium channel slope | 220 |
| 12.2.3 Stream power..... | 220 |
| 12.3 RHEOLOGY/TESTING CONSIDERATIONS | 220 |
| 12.4 DISCUSSION OF FUNDAMENTAL PRINCIPLES OF BEACH FLOWS..... | 221 |
| 12.4.1 Non-Newtonian flow behaviour..... | 221 |

| | | |
|----------|--|-----|
| 12.4.1.1 | Comparison of beach profile models..... | 221 |
| 12.4.2 | Particle settling and sedimentation..... | 222 |
| 12.4.2.1 | Turbulent settling | 222 |
| 12.4.2.2 | Laminar segregation | 222 |
| 12.4.2.3 | Assumptions regarding laminar or turbulent flow in the three main beach models..... | 223 |
| 12.4.3 | Flow path..... | 223 |
| 12.4.3.1 | Comparison of beach profile models..... | 224 |
| 12.5 | THE FIELD EXPERIENCE | 225 |
| 12.6 | CURRENT RESEARCH | 226 |
| | AUTHOR DETAILS | 227 |

13

| | | |
|----------------------------|---|-----|
| Inline Flocculation | | 231 |
| 13.1 | PREAMBLE | 231 |
| 13.2 | INTRODUCTION | 231 |
| 13.3 | TAILINGS TYPES AND KEY MATERIAL PROPERTIES | 231 |
| 13.4 | MECHANICS OF SLURRY AND POLYMER FLOWS | 232 |
| 13.4.1 | Polymer dispersion and flocculation kinetics..... | 232 |
| 13.4.2 | Floc growth | 232 |
| 13.4.3 | Predictive modelling..... | 232 |
| 13.5 | POLYMER INJECTION | 232 |
| 13.5.1 | Injection techniques | 232 |
| 13.5.2 | Flow regimes at injection | 234 |
| 13.6 | CONDITIONING AND WATER RELEASE | 234 |
| 13.6.1 | Additional factors influencing downstream pipe flow | 236 |
| 13.7 | BEACHING DEPOSIT CONTROLS | 236 |
| 13.7.1 | Observations of flow and beaching | 236 |
| 13.7.2 | Homogeneous versus multiphase flows | 238 |
| 13.7.2.1 | Rapidly dewatering tailings characteristics | 238 |
| 13.7.2.2 | Considerations for beach modelling | 238 |
| 13.7.3 | Beach management..... | 239 |
| 13.7.3.1 | Beach profiles..... | 239 |
| 13.7.3.2 | Drainage and surface runoff management | 239 |
| 13.8 | CONCLUSION | 240 |
| | AUTHOR DETAILS | 240 |

14

| | |
|--|-----|
| Mine Backfill | 245 |
| 14.1 PREAMBLE..... | 245 |
| 14.2 INTRODUCTION..... | 245 |
| 14.3 PREPARATION..... | 245 |
| 14.4 TRANSPORTATION AND PLACEMENT..... | 247 |
| 14.4.1 Transportation..... | 247 |
| 14.4.2 Placement..... | 250 |
| 14.5 IN SITU PERFORMANCE..... | 250 |
| 14.5.1 Barricade stability..... | 250 |
| 14.5.2 Stability upon exposure..... | 251 |
| 14.6 ENVIRONMENTAL CONSIDERATIONS..... | 252 |
| 14.7 ECONOMIC EVALUATION..... | 253 |
| 14.8 INTEGRATED APPROACH TO BACKFILL SELECTION AND DESIGN..... | 253 |
| 14.9 CONCLUSION..... | 254 |
| AUTHOR DETAILS..... | 255 |

15

| | |
|--|-----|
| Closure Considerations | 259 |
| 15.1 PREAMBLE..... | 259 |
| 15.2 CLOSURE PLANNING PROCESS..... | 259 |
| 15.3 DESIGN STANDARDS FOR CLOSURE..... | 261 |
| 15.4 SAFETY..... | 262 |
| 15.5 STABILITY..... | 262 |
| 15.5.1 Embankments..... | 263 |
| 15.5.2 Upper surfaces..... | 264 |
| 15.6 AESTHETIC ACCEPTABILITY..... | 266 |
| 15.7 CONTROL OF ACID MINE DRAINAGE..... | 267 |
| 15.8 COVERS..... | 269 |
| 15.9 RECLAMATION/REHABILITATION OF TSFs..... | 272 |
| 15.10 REGULATION..... | 275 |
| 15.11 FINANCIAL ASPECTS..... | 277 |
| 15.12 CONCLUSION..... | 278 |
| AUTHOR DETAILS..... | 279 |

| | |
|---|-----|
| Case Studies | 285 |
| 16.1 PREAMBLE | 285 |
| Acknowledgement | 286 |
| 16.2 SAR CHESHMEH, IRAN | 286 |
| 16.3 MIDUK, IRAN | 288 |
| 16.4 DE BEERS COMBINED TREATMENT PLANT, SOUTH AFRICA | 291 |
| 16.4.1 Facility description | 291 |
| 16.4.2 Discharge riser pipes | 292 |
| 16.4.3 Perimeter wall raise | 292 |
| 16.4.4 Conclusion | 293 |
| 16.5 ASSMANG KHUMANI IRON ORE MINE, SOUTH AFRICA | 293 |
| 16.5.1 System description | 293 |
| 16.5.2 Facility description | 293 |
| 16.5.3 Deposition | 294 |
| 16.5.4 Facility operations | 294 |
| 16.5.5 Future wall raises | 294 |
| 16.5.6 Conclusion | 295 |
| 16.6 HILLENDALE, SOUTH AFRICA | 295 |
| 16.6.1 Introduction | 295 |
| 16.6.2 Mining process | 295 |
| 16.6.3 Primary wet plant | 295 |
| 16.6.4 Residue storage facility layout | 296 |
| 16.6.5 Fine residue properties | 297 |
| 16.6.6 Wall raising | 297 |
| 16.6.7 Operational comments | 298 |
| 16.6.8 Rehabilitation | 299 |
| 16.6.9 Conclusion | 299 |
| 16.7 QUEENSLAND ALUMINA, AUSTRALIA | 300 |
| 16.8 KIDD METALLURGICAL SITE TAILINGS MANAGEMENT AREA, CANADA | 302 |
| 16.9 GOLDCORP CANADA MUSSELWHITE MINE TAILINGS MANAGEMENT AREA | 304 |
| 16.10 FREEPORT INDONESIA BIG GOSSAN MINE PASTE BACKFILL PLANT | 306 |
| 16.10.1 Introduction | 306 |
| 16.10.2 Paste plant system | 307 |
| 16.10.2.1 Surface facilities | 307 |
| 16.10.2.2 Underground facilities | 307 |

| | | |
|-----------|---|-----|
| 16.10.3 | Features of the paste plant system..... | 308 |
| 16.10.3.1 | <i>Tailings classification system</i> | 308 |
| 16.10.3.2 | <i>Cement delivery and unloading system</i> | 310 |
| 16.10.3.3 | <i>Paste distribution</i> | 310 |
| 16.10.4 | Conclusion | 311 |
| 16.11 | USE OF RHEOMAX® ETD TECHNOLOGY TO THICKEN BAUXITE RESIDUE SLURRY DURING SUPER THICKENER BYPASS | 311 |
| 16.12 | OSBORNE MINE CASE STUDY, AUSTRALIA | 313 |
| 16.13 | IMPLEMENTATION OF VIBRATORY DEWATERING SCREENS AT THE MANTOS BLANCOS MINE, CHILE | 316 |
| 16.13.1 | Introduction | 316 |
| 16.13.2 | Installation of second industrial unit..... | 318 |
| | AUTHOR DETAILS | 319 |

| | |
|-------------------|-----|
| References | 321 |
|-------------------|-----|

| | |
|-----------------|-----|
| Glossary | 339 |
|-----------------|-----|

| | |
|--------------------------|-----|
| Service Directory | 347 |
|--------------------------|-----|

| | |
|---------------------|-----|
| Author Index | 356 |
|---------------------|-----|