

Table of Contents

iii	Australian Centre for Geomechanics
iv	InfoMine Inc.
v	Committees
vi	Technical Reviewers
vii	Foreword
ix	Sponsors

Beach Slopes

3	Channel hydraulics or deposition flume testing – which is right for beach slope forecasting? <i>M.P.A. Williams, ATC Williams Pty Ltd, Australia</i>
19	A discussion of the critical drivers for tailings beach flows <i>J.M. Treinen, Paterson & Cooke and University of Colorado, USA; R. Cooke, Paterson & Cooke, USA; D. Znidarcic, University of Colorado, USA</i>
31	Modified beach slope prediction model for non-segregating thickened tailings <i>B. Pirouz, S. Javadi, K. Seddon and M.P.A. Williams, ATC Williams Pty Ltd, Australia</i>
47	The accuracy of tailings beach slope predictions <i>T.G. Fitton, ATC Williams Pty Ltd, Australia</i>
59	Studies on flume tests for predicting beach slopes of paste using the computational fluid dynamics method <i>J.L. Gao and A.B. Fourie, The University of Western Australia, Australia</i>
71	Modelling the behaviour of high-density tailings beach slopes in a large-scale field test for Minera Esperanza <i>S. Gaete and F. Bello, Minera Esperanza, Chile; T. Errazuriz, Golder Associates S.A., Chile; R. Yanez, Golder Associates Ltd, Canada; M. Pinto, Golder Associates S.A., Chile</i>

Polymer Addition

87	Application of in-line polymer addition for tailings disposal in Australia – learning and challenges <i>R. Guang, M. Tshibang and C. Loayza, Golder Associates Pty Ltd, Australia</i>
101	Ultrasonic shear thinning of thickened tailings with potential for oil sands <i>V. Buendia, Golder Associates Ltd, Canada; K. Travezaño, Golder Associates Perú S.A., Peru; S. Ram, Oil Sands Consultant, Canada</i>
111	In-line mixing of mature fine tailings and polymers <i>J. Diep and M. Weiss, Coanda Research and Development Corp., Canada; A. Revington, Suncor Energy Inc., Canada; B. Moysl and K. Mittal, Coanda Research and Development Corp., Canada</i>
127	Dynamic in-line flocculation and pressure filtration of oil sands mature fine tailings <i>K. Cafferata, Ledcor Environmental Solutions Ltd, Canada; C. Côte, Shell Canada Energy, Canada; R. Heffel, Teck Resources Ltd, Canada; W. Duttlinger and A. Chengara, Nalco Champion, USA</i>
139	Calculation methodology for segregation of solids in non-Newtonian carrier fluids <i>A.M. Talmon, Deltares and Delft University of Technology, The Netherlands; W.G.M. van Kesteren, D.R. Mastbergen and J.G.S. Pennekamp, Deltares, The Netherlands; B. Sheets, Barr Engineering, USA</i>
155	Understanding the effect of water chemistry on the performance of rheology-modifying polymers toward tailings thickening <i>L.R. Moore and M. Awad, Kemira, USA; R. Ramognini, Kemira, Chile; T. Lynch, J. Rabideau and B. Mondesir, Kemira, USA</i>
167	Mobile conveying and stacking technology developments for filtered tailings handling <i>G. Graber and R. Kelly, Terra Nova Technologies, Inc., USA</i>
179	Polymer-modified tailings deposition – a management perspective <i>T.C. Riley, Golder Associates Pty Ltd, Australia; L. Utting, BASF, Australia</i>

- 187 Differences between secondary flocculation and rigidification via Rheomax®-enhanced tailings disposal technology
S.J. Adkins, BASF Performance Products plc, UK; J. Bellwood, A. Beveridge and M. Edgar, BASF Australia Ltd, Australia; I.A. Flanagan, BASF Performance Products plc, UK

Oil Sands

- 201 Modification of fluid fine tailing's rheological and stacking properties by in situ silica polymerisation
F.D. Godbille, DuPont Centre for Process Innovation, Canada; R.H. Moffett, DuPont Chemicals & Fluoroproducts, USA
- 215 Treatment of oil sands coarse tailings
T. Dang-Vu, SNF Energy Services, Canada; N. Wang, Syncrude Canada Ltd, Canada; S. Ramey, SNF Energy Services, Canada
- 223 Enhancing densification by pH-switchable polymers for tailings management
Y. Li and J. Guo, University of Alberta, Canada; D. Harbottle, University of Alberta, Canada (currently University of Leeds, UK); Q. Liu and Z. Xu, University of Alberta, Canada
- 231 Self-weight consolidation of Particlear™-treated fine tailings in a 10-metre column
T. Moore and C. Zhang, Thurber Engineering Ltd, Canada; R. Moffett and J. Odle, DuPont Chemicals & Fluoroproducts, USA
- 245 Enhanced thickened tailings performance via additional chemical treatments
W. Ren, ExxonMobil, USA; K. Sury, Imperial Oil, Canada; S. Clingman, ExxonMobil, USA
- 257 Geotechnical performance of ATA™-treated fluid fine tailings
T. Moore, C. Zhang and M. Pinheiro, Thurber Engineering Ltd, Canada
- 269 Influence of clay minerals on the storage and treatment of oil sands tailings
O. Omotoso and A. Melanson, Suncor Energy Inc., Canada
- 281 Experimental evaluation of vertical strip drain performance in oil sands tailings
J. Gan and M.D. Haug, SNC-Lavalin Inc., Canada; J. Fournier, P.S. Wells and A. Melanson, Suncor Energy Inc., Canada
- 295 Rheology for surface deposition of polymer-amended fine tailings
S. Mizani and P. Simms, Carleton University, Canada; A. Dunmola, C. Côté and G. Freeman, Shell Canada Energy, Canada
- 307 Desiccation and consolidation in thin-lift deposition of polymer-amended mature fine tailings
S. Soleimani and P. Simms, Carleton University, Canada; A. Dunmola and G. Freeman, Shell Canada Energy, Canada; G.W. Wilson, University of Alberta, Canada

Paste and Thickeners

- 323 Problems in designing a paste system
J. S. Slottee, WesTech Engineering, USA
- 329 A description of the sedimentation process during dynamic thickener operation
A.J. Vietti and F. Dunn, Paterson & Cooke, South Africa

Paste Backfill

- 341 Successful recipes for mine paste backfill
C.M. Aldea and K. Connolly, AMEC Americas Ltd, Canada
- 355 In-stope measurements at two Western Australian mine sites
A. Hasan, G. Suazo, J. Doherty and A.B. Fourie, The University of Western Australia, Australia

Tailings Deposition

- 371 Optimised seasonal deposition for successful management of treated mature fine tailings
J. Caldwell, Robertson GeoConsultants, Canada; A. Revington, Suncor Energy Inc., Canada; G. McPhail, SLR Consulting Australia Pty Ltd, Australia; L. Charlebois, Robertson GeoConsultants, Canada

- 381 Thickening and deposition trials: laboratory through to industrial scale – Minera Esperanza
S. Gaete and F. Bello, Minera Esperanza, Chile; J. Engels, Tailpro Consulting, Chile; G. McPhail, SLR Consulting Australia Pty Ltd, Australia
- 393 Field farming trials of bauxite residue
H. Li, Rio Tinto Alcan, Australia; M. Amghar, Ausenco, Australia; D. Syme, Rio Tinto Alcan, Australia
- 403 Post-deposition tailings management – the next step in optimising high-density disposal
L.D. Munro, R.B. White and D.D. Smirk, Residue Solutions, Australia

Tailings Evaluation and Case Studies

- 419 A case history of soda ash tailings disposal 1993 through 2013
D. Stone, MineFill Services, Inc., USA; P. Solseng, Barr Engineering Co., USA; K. Green and J. Spurrier, OCI Wyoming, USA
- 429 Assessing the post-liquefaction shear strength of thickened tailings in the design stage – a review and update
D. Reid, The University of Western Australia, Australia and Golder Associates Pty Ltd, Australia; and A.B. Fourie, The University of Western Australia, Australia
- 445 The influence of feed properties on cyclone performance and stacking of underflow
J.A. Wates, H. Venter and A. O’Callaghan, Fraser Alexander, South Africa; J. Tucker, Consulting Metallurgist, South Africa
- 459 Investigating for dry stack tailings facility closure: multidisciplinary evaluation at the Pogo Mine, Alaska
D.P. Neuffer and C.W. Stevens, SRK Consulting (US) Inc., USA; R. Staines, SRK Consulting (Australasia) Pty Ltd, Australia; M. Umedera and S.S. McLeod, Sumitomo Metal Mining Pogo LLC, USA
- 473 Comparison of compressibility factor of processing plant tailings and its effect on filter selection at Goleghar mining and industrial company
A. Sam, University of Shahid Bahonar and Goleghar Iron Ore and Steel Institute, Iran; A. Bahmani and S. Arabzadeh, Kerman University of Shahid Bahonar, Iran

Tailings Transportation

- 487 High capacity and high pressure – pushing the envelope for paste backfill distribution
D. Stoddart and C. Lee, Golder Associates Ltd, Canada
- 499 Modelling of solids transport and deposition for an iron-ore slurry pipeline
N. Tajallipour, P.J. Teevens, W. Akanni and T. Paxman, Broadword Corrosion Engineering Ltd, Canada; A.C.C.R. Bragança, G.G. Mattioli and I.J. Dos Santos, Samarco Mineração S.A., Brazil
- 513 Large piston diaphragm pumps as a feasible alternative to multistage centrifugal slurry pumps
H. Krimpenfort, Aker Solutions, Germany; L. Baxter, LM Baxter & Associates, Canada; J. Kriel, Paterson & Cooke, South Africa
- 525 Centrifugal pump performance on a high-yield stress tailings slurry
J. Furlan and R. Visintainer, GIW Industries, USA; A. Sellgren, Luleå University of Technology, Sweden
- 539 Modelling thickened tailings transport behaviour
L. Pullum, A. Chryss and L. Graham, CSIRO Process Science and Engineering, Australia; V. Matoušek and V. Pěňík, Czech Technical University in Prague, Czech Republic; M. Rudman, Monash University, Australia
- 553 Gravity pipeline design for thickened materials
P.T. Slatter and A. Roshdieh, ATC Williams Pty Ltd, Australia
- 563 Changed views and developments on tailings transportation systems
J. Sloesen and E. Vlot, Weir Minerals Netherlands b.v., The Netherlands

Thickened/Filtered Tailings Placed on Slurry Tailings

- 575 Stacking dewatered tailings on a conventional slurry impoundment
T. Meyer, DOWL HKM, USA; C. Williams, Mojave Desert Minerals, USA

- 587 Selection criteria for two alternative thickened slurries to be deposited over conventional tailings: storage capacity and liquefaction
J.J. Moreno, N.L. Thompson and C.J. Hore, SRK Consulting, Australia
- 603 Converting slurry tailings facilities to filtered dry stacks – a case history
J.F. Lupo, Newmont Mining Company, USA; M. Mussé, Consultant, Chile
- 613 Feasibility evaluation of converting a conventional tailings disposal into a thickened tailings deposit
R. Verdugo, CMGI Ltda., Chile; J. Echevarría, Codelco, Chile; G. Peters, CMGI Ltda., Chile; G. Caro, Codelco, Chile
- 627 Field performance of thickened tailings disposal at Musselwhite Mine
S. Kam, Golder Associates Ltd, Canada; N. Hmidi, Goldcorp Musselwhite Mine, Canada; Y. Mao, Golder Associates Ltd, Canada

Abstracts of Papers Presented as Posters

- 643 Novel flocculant technology: technological innovation for gravity sedimentation thickening processes
A. Berger, J. Muhor, T. Cameron and D. Chipfunhu, Global Mining Solutions/BASF Ltd, Australia
- 644 Shear isn't mixing: how to build larger aggregates using chaotic advection for accelerated dewatering
A. Costine, CSIRO Process Science & Engineering, Australia; D. Lester, CSIRO Computational Informatics, Australia; P. Fawell and A. Chryst, CSIRO Process Science & Engineering, Australia
- 645 A shallow-layer model for beach deposits of tailings with a time-dependent yield stress
N. Dubash and D.E. Kiel, Coanda Research & Development Corporation, Canada
- 646 Applying paste thickening technologies to coal ash and wastewater disposal in the electricity industry
K. Ellison, Southern Company Services, Inc., USA
- 647 Flocculation and dewatering of clay suspension using dual polymer flocculants
M.H. Haroon, X. Tan and Q. Liu, University of Alberta, Canada
- 648 Investigation of open-channel design of non-Newtonian thickened tailings flow
S. Javadi, and R. Gupta, RMIT University, Australia; P.T. Slatter, ATC Williams, Australia; S.N. Bhattacharya, RMIT University, Australia
- 649 Lessons from thickener pilot plant testing: experiences shared
S. Meiring, Hatch Associates Pty Ltd, Australia
- 650 Utilisation of the SmartDiver probe to improve control of settlers, washers, and tailings thickeners
S. Morris and N. Waugh, Precision Light and Air Pty Ltd, Australia
- 651 Optimisation of thickened tailings deposition
N. Raposo, Instituto Politécnico de Viseu, Portugal; R. Bahia, Golder Associates, Portugal; E. Afonso, Golder Associates, Portugal; A.T. Gomes, Universidade do Porto, Portugal
- 652 Peruvian gold-cyanide tailings filtration – a detailed cost comparison
C. Stockman, CEC Mining Systems, Canada; J. Soto, Prevconsult Peru EIRL, Peru; D. Gonzalez, CEC Mining Systems, Canada
- 653 Oil sands tailings: addressing the challenge
I. Wislesky, S. Longo and C. Crossley, Golder Associates Ltd, Canada
- 654 Paste fill system designs for a broken and water-rich copper mine
A-X. Wu, Y. Wang, H-J. Wang, C-M. Ai and B. Zhou, University of Science and Technology Beijing, China; X-X. Yang and F-L. Zhou, Jiashi Tonghui Copper Mine Co. Ltd, China
- 655 Select Bibliography
- 679 Author Index